Journal of Applied Polymer Science

Author Index—Volume 80

Abad, M. J. See Nogueira, P., 71
Abbondanza, L.
—; Garbassi, F.; Gennaro, A.; Giannotta, G.; Marra, G.; Po', R.; Toscani, F.: Molding of Syndiotactic Polystyrene Under Its Melting Temperature, 377
Agawa, K.
—; Wan, Q.; Tanigami, T.; Matsuzawa, S.; Yamaura, K.: Structure and Properties of Syndiotacticity-Rich Poly(vinyl alcohol) Prepared Through Saponification of Drawn Poly(vinyl trifluoroacetate) with Gaseous Ammonia, 467
Aglan, H. A. See Mohamed, H. A., 286
Ahmed, R. See Kim, J., 593
Ahn, J.-S.
—; Choi, H.-K.; Lee, K.-H.; Nahm, J.-H.; Cho, C.-S.: Novel Mucoadhesive Polymer Prepared by Template Polymerization of Acrylic Acid in the Presence of Silk Sericin, 274
Ajzenberg, N.
—; Ricard, A.: Kinetic Study by Differential Scanning Calorimetry of the Bulk Copolymerization of 2-Hydroxyethylmethacrylate with Ethyleneglycoldimethacrylate, 1220
Alexandrova, I.
—; Iordanov, G.: Transport of Cobalt and Zinc Through a Carboxylic Membrane Based on Poly(vinyl chloride)/Poly(methyl metacrylate-*co*-divinylbenzene) System, 47
Allen, S. D. See Connor, D. M., 2696
Almdal, K. See Chuai, C., 2833
Alt, H. G. See Köppl, A., 454; Schmidt, R., 281, 613
Aludin, M. S. See Shirahama, H., 340
Alves, L. S. See Coutinho, F. M. B., 566
Amiji, M. See Anderson, D., 1274
Aminabhavi, T. M. See Kothandaraman, H., 995; Naik, H. G., 1291
An, Y. See Liu, L., 1976
An Huy, T.
—; Luepke, T.; Radusch, H.-J.: Characterization of the Deformation Behavior of Dynamic Vulcanizates by FTIR Spectroscopy, 148
Anastasiou, T. J. See Bedell, C., 32
Anderson, D.
—; Nguyen, T.; Lai, P.-K.; Amiji, M.: Evaluation of the Permeability and Blood-Compatibility Properties of Membranes Formed by Physical Interpenetration of Chitosan With PEO/PPO/PEO Triblock Copolymers, 1274
Arai, T.
—; Freddi, G.; Colonna, G. M.; Scotti, E.; Boschi, A.; Murakami, R.; Tsukada, M.: Absorption of Metal Cations by Modified *B. mori* Silk and Preparation of Fabrics with Antimicrobial Activity, 297
Asai, S. See Wu, G., 1062
Asakura, T. See Ito, T., 2376
Asua, J. M. See Zubitur, M., 841
Atvars, T. D. Z. See Granados, E. G., 949

Babayiğit, D. See Pulat, M., 2690
Badran, B. M. See Mohamed, H. A., 286
Bae, J. S. See Kim, E. K., 1388
Bagheri, J. See Mallakpour, S. E., 2416
Bai, X.-L.
—; Yang, Y.-Y.; Chung, T.-S.; Ng, S.; Heller, J.: Effect of Polymer Compositions on the Fabrication of Poly(*ortho*-ester) Microspheres for Controlled Release of Protein, 1630
Bajpai, R.
—; Srivastava, A. K.: Copolymerization of Methylmethacrylate with Styrene Using Triphenylbismuthoniumylide as Radical Initiator, 2774
Bajpai, S. K.
—; Swelling–Deswelling Behavior of Poly(acrylamide-*co*-maleic acid) Hydrogels, 2782
Bambole, V. A. See Bhat, N. V., 2511
Banthia, A. K. See Ratna, D., 1792
Barra, G. M. O.
—; Leyva, M. E.; Gorelova, M. M.; Soares, B. G.; Sens, M.: X-Ray Photoelectron Spectroscopy and Electrical Conductivity of Polyaniline Doped With Dodecylbenzenesulfonic Acid as a Function of the Synthetic Method, 556
—; See Leyva, M. E., 626
Barral, L. See Nogueira, P., 71
Barrera, E. V. See Lozano, K., 1162
Bartsch, R. A. See Talanova, G. G., 207
Baselga, J. See Granados, E. G., 949
Basu, D. K. See Naskar, N., 1725
Bayram, G.
—; Yilmazer, U.; Xanthos, M.: Compatibilization and Characterization of Blends of Styrene–Maleic Anhydride Copolymer with Modified Polyethylenes, 790
Beatty, C. L. See Bonelli, C. M. C., 1305
Bedell, C.
—; Deng, M.; Anastasiou, T. J.; Uhrich, K. E.: Processing and Hydrolytic Degradation of

Aromatic, *Ortho*-Substituted Polyanhydrides, 32
Beer, F.
—; Capaccio, G.; Rose, L. J.: High Molecular Weight Tail and Long-Chain Branching in Low-Density Polyethylenes, 2815
Bei, Y. See Wu, Y., 2341
Beigzadeh, D.
—; Soares, J. B. P.; Duever, T. A.: Modeling of Fractionation in CRYSTAF Using Monte Carlo Simulation of Crystallizable Sequence Lengths: Ethylene/1-octene Copolymers Synthesized with Single-Site–Type Catalysts, 2200
Belfer, S. See Shevachman, M., 763
Beneš, M. J. See Horák, D., 913
Bertilsson, H. See Öborn, J., 2865
Berzin, F.
—; Vergnes, B.; Delamare, L.: Rheological Behavior of Controlled-Rheology Polypropylenes Obtained by Peroxide-Promoted Degradation During Extrusion: Comparison Between Homopolymer and Copolymer, 1243
Bhat, N. V.
—; Gadre, A. P.; Bambole, V. A.: Structural, Mechanical, and Electrical Properties of Electropolymerized Polypyrrole Composite Films, 2511
Bhowmik, S.
—; Ghosh, P. K.; Ray, S.: Surface Modification of HDPE and PP by Mechanical Polishing and DC Glow Discharge and Their Adhesive Joining to Steel, 1140
Bidstrup-Allen, S. A. See Patel, K. S., 2328
Bikiaris, D.
—; Matzinos, P.; Prinos, J.; Flaris, V.; Larena, A.; Panayiotou, C.: Use of Silanes and Copolymers as Adhesion Promoters in Glass Fiber/Polyethylene Composites, 2877
Bindu, R. L.
—; Reghunadhan Nair, C. P.; Ninan, K. N.: Addition-Cure-Type Phenolic Resin Based on Alder-ene Reaction: Synthesis and Laminate Composite Properties, 737
—; Reghunadhan Nair, C. P.; Ninan, K. N.: Phenolic Resins with Phenyl Maleimide Functions: Thermal Characteristics and Laminate Composite Properties, 1664
Binman, S. See Shevachman, M., 763
Blum, G. Z.
—; Ryabenko, E. A.; Yaroshenko, A. M.; Zaikov, G. E.; Zaikov, V. G.: Use of the Unique Properties of Fluoropolymers in the Design of New, Highly Effective, Ecologically Friendly Technologies for the Fine Purification of Hydrogen Halides and Their Aqueous Solutions, 1383
Bogdanova, S. A. See Starostina, I. A., 388
Boiteux, G. See Karabanova, L. V., 852
Bonelli, C. M. C.
—; Martins, A. F.; Mano, E. B.; Beatty, C. L.: Effect of Recycled Polypropylene on Polypropylene/High-Density of Polyethylene Blends, 1305
Bonilla-Rios, J. See Lozano, K., 1162
Boschi, A. See Arai, T., 297
Bouma, K.
—; Regelink, M.; Gaymans, R. J.: Crystallization of Poly(ethylene terephthalate) Modified with Codiols, 2676
—; Wester, G. A.; Gaymans, R. J.: Polyether-amide Segmented Copolymers Based on Ethylene Terephthalamide Units of Uniform Length, 1173
Bruer, D. See Juang, Y.-J., 521
Bruma, M. See Sava, I., 650
Bucheńska, J.
—; Grafting of Poly(acrylic acid) on Polyamide Yarn, 1914
Burts, E. See Shan, L., 917
Buyanov, A. L.
—; Revel'skaya, L. G.; Kuznetzov, Yu. P.; Khripunov, A. K.: Cellulose–Poly(acrylamide–acrylic acid) Interpenetrating Polymer Network Membranes for the Pervaporation of Water–Ethanol Mixtures. II. Effect of Ionic Group Contents and Cellulose Matrix Modification, 1452
Byun, H.-S. See Conway, S. E., 1155

Cano, J. See Nogueira, P., 71
Cao, W. See Chen, J., 1983
Cao, X.
—; Sessa, D. J.; Wolf, W. J.; Willett, J. L.: Light-Scattering Study of Poly(hydroxy ester ether) in *N,N*-Dimethylacetamide Solution, 1737
Capaccio, G. See Beer, F., 2815
Carlotti, S. J.
—; Giani-Beaune, O.; Schué, F.: Characterization and Mechanical Properties of Water-Soluble Poly(vinyl alcohol) Grafted with Lactic Acid and Glycolic Acid, 142
Carr, S. H. See Ganglani, M., 671
Cartault, M. See Leblanc, J. L., 2093
Caşcaval, C. N. See Roşu, D., 1802
Çetinkaya, B. See Seçkin, T., 1329
Chabert, B. See Won, J. C., 1021
Chaki, T. K. See Das, N. C., 1601
Chakraborty, A. See Das, N. C., 1601
Chakravarti, S.
—; Ray W. H.: Kinetic Study of Olefin Polymerization with a Supported Metallocene Catalyst. II. Ethylene/1-Hexene Copolymerization in Gas Phase, 1096
—; See Xu, Z. G., 81
Chanda, M. See Sailaja, R. R. N., 863
Chang, C.-Y. See Lin, S.-S., 2768
Chang, D.-J. See Lin, S.-S., 2768
Chang, J.-H.
—; Park, K. M.; Kang, C.-S.; Jeong, H.-K.: Blends of Poly(vinyl butyral-*co*-vinyl alcohol) and Poly(ethylene terephthalate-*co*-ethylene naphthalate): Thermal, Mechanical, and Morphological Properties, 2746
Chang, L.-C.
—; Xue, Y.; Hsieh, F.-H.: Comparative Study of Physical Properties of Water-Blown

Rigid Polyurethane Foams Extended with Commercial Soy Flours, 10
Chang, L.-M. See Hsiao, S.-H., 2067
Chaouk, H.
—; Wilkie, J. S.; Meijs, G. F.; Cheng, H. Y.: New Porous Perfluoropolyether Membranes, 1756
Chaput, A. B. See Eckersley, S. T., 2545
Charayev, A. M. See Ozden, S., 2113
Chen, C. See Hao, J. H., 1658
Chen, C.-C. See Lin, S.-S., 2768
Chen, C.-H.
—; Chen, C.-Y.; Lo, Y.-W.; Mao, C.-F.; Liao, W.-T.: Studies of Glycolysis of Poly(ethylene terephthalate) Recycled from Postconsumer Soft-Drink Bottles. I. Influences of Glycolysis Conditions, 943
—; Chen, C.-Y.; Lo, Y.-W.; Mao, C.-F.; Liao, W.-T.: Studies of Glycolysis of Poly(ethylene terephthalate) Recycled from Postconsumer Soft-Drink Bottles. II. Factorial Experimental Design, 956
Chen, C.-Y. See Chen, C.-H., 943, 956
Chen, H. See Fang, J., 1434
Chen, H.-H. See Wen, T.-C., 935
Chen, J.
—; Luo, H.; Yang, B.; Cao, W.: Photoimaging Technique on Printing Al Plate via Self-Assembly Multilayer Films Based on Diazoresin, 1983
—; See Lee, M., 1058
Chen, K. See Xiao, L., 979; Xiao, W., 989
Chen, L. See Xu, X., 123
Chen, S. See Hu, Z., 1770; Wu, Z., 2185
Chen, S.-H. See Lin, S.-S., 2768
Chen, X. See He, X., 1571
Chen, Y. See Wei, H., 51
Chen, Y.-M. See Lee, W.-F., 1619
Chen, Y.-Y. See Meng, L.-Z., 58
Cheng, H. Y. See Chaouk, H., 1756
Cheung, M. K. See Li, S.-D., 2237
Chiang, S. See Devlin, C. L. H., 1470
Chiellini, E. See Fernandes, E. G., 2889
Chiu, C.-C. See Lin, M.-S., 963
Cho, C.-S. See Ahn, J.-S., 274; Jeong, Y.-I., 2228
Cho, C. S. See Kweon, H. Y., 1848
Cho, J. W.
—; Paul, D. R.: Glass Fiber-Reinforced Polyamide Composites Toughened with ABS and EPR-*g*-MA, 484
Cho, W.-J. See Kang, T.-K., 1085
Choi, B. K. See Kim, K. M., 618
Choi, H.-K. See Ahn, J.-S., 274
Choi, J. H. See Lyoo, W. S., 1003
Choi, K. Y. See Woo, B.-G., 1253
Choi, S.-H.
—; Nho, Y. C.: Adsorption of Urokinase by Polypropylene Films with Various Amine Groups, 2851
Choi, S.-S.
—; Correlation Between Migration Behaviors of Antiozonants and Temperature, 1566
Chomier, D. See Won, J. C., 1021
Choudhury, N. R. See Ginic-Markovic, M., 2647
Chuai, C.
—; Almdal, K.; Poulsen, L.; Plackett, D.: Conifer Fibers as Reinforcing Materials for Polypropylene-Based Composites, 2833
Chung, K.-H. See Park, E.-S., 728
Chung, T.-S. See Bai, X.-L., 1630
Ciobanu, C. See Roşu, D., 1802
Collard, D. M. See Connor, D. M., 2696
Colonna, G. M. See Arai, T., 297
Cong, P. See Li, T., 2394
Connor, D. M.
—; Allen, S. D.; Collard, D. M.; Liotta, C. L.; Schiraldi, D. A.: Effect of Linear Comonomers on the Rate of Crystallization of Copolyesters, 2696
Conway, S. E.
—; Byun, H.-S.; McHugh, M. A.; Wang, J. D.; Mandel, F. S.: Poly(lactide-co-glycolide) Solution Behavior in Supercritical CO_2, CHF_3, and $CHClF_2$, 1155
Correa, R. See Rojas, V., 2633
Coutinho, F. M. B.
—; Delpech, M. C.; Alves, L. S.: Anionic Waterborne Polyurethane Dispersions Based on Hydroxyl-Terminated Polybutadiene and Poly(propylene glycol): Synthesis and Characterization, 566
Couturier, D. See Waterlot, C., 223
Covas, J. A. See Machado, A. V., 1535
Cser, F.
—; About the Lorentz Correction Used in Interpretation of Small-Angle X-ray Scattering Data of Semicrystalline Polymers, 358
—; About the Lorentz Correction Used in the Interpretation of Small Angle X-Ray Scattering Data of Semicrystalline Polymers, 2300
—; See Kukaleva, N., 831

Dadmun, M. D. See Radmard, B., 2583
Dai, X. J.
—; Elms, F. M.; George, G. A.: Mechanism for the Plasma Oxidation of Wool Fiber Surfaces from XPS Studies of Self-assembled Monolayers, 1461
Damian, C.
—; Escoubes, M.; Espuche, E.: Gas and Water Transport Properties of Epoxy–Amine Networks: Influence of Crosslink Density, 2058
Danner, R. P. See Hamedi, M., 197
Das, C. K. See Khatua, B. B., 2737
Das, N. C.
—; Chaki, T. K.; Khastgir, D.; Chakraborty, A.: Electromagnetic Interference Shielding Effectiveness of Ethylene Vinyl Acetate Based Conductive Composites Containing Carbon Fillers, 1601
David, G.
—; Ioanid, A.: Synthesis and Dispersion Copolymerization of Poly(2-methyl-2-oxazoline) Macromers with Cinnamoyl End Groups, 2191
Deb, P. C. See Ratna, D., 1792

Deberdeev, R. J. See Starostina, I. A., 388
Debnath, S. C. See Naskar, N., 1725
De La Fuente, J. L.
—; Fernández-García, M.; Madruga, E. L.: Characterization and Thermal Properties of Poly(*n*-butyl acrylate-*g*-styrene) Graft Copolymers, 783
Delamare, L. See Berzin, F., 1243
Delides, C. G. See Vatalis, A. S., 1071
Delpech, M. C. See Coutinho, F. M. B., 566
Del Río, M. See Harismendy, I., 2759
de Menezes, S. M. C. See Tavares, M. I. B., 2120
Denes, F. See Ma, Y. C., 1120
Deng, J.-P.
—; Yang, W.-T.; Rånby, B.: Surface Photografting Polymerization of Vinyl Acetate, Maleic Anhydride, and Their Charge Transfer Complex, 1426
Deng, M. See Bedell, C., 32
De Paoli, M. A. See Silva Spinacé, M. A., 20
De Vasconcelos, C. L.
—; Pereira, M. R.; Fonseca, J. L. C.: Solvent Composition and Rheology of Starch–DMSO–Water Solutions, 1285
Devlin, C. L. H.
—; Glab, S. D.; Chiang, S.; Russell, T. P.: Atomic Force Microscopy Study of Rubbed Polyimide Films, 1470
Dias, A. J. See Jayaraman, M., 680
Dibbern-Brunelli, D. See Granados, E. G., 949
Digar, M.
—; Hung, S.-L.; Wen, T.-C.: Blending Poly(methyl methacrylate) and Poly(styrene-*co*-acrylonitrile) as Composite Polymer Electrolyte, 1319
Dimonie, V. L. See You, X., 1951, 1963
Dimopoulos, M. See Ginic-Markovic, M., 2647
Djoekita, G.
—; Vu, D. Q.; Koros, W. J.: Pervaporative Introduction of Organic Vapors into High-Pressure Gas Feeds (Note), 311
Dong, X. H. See Wan, Y. Z., 367
Douillard, A. See Won, J. C., 1021
Drioli, E. See Trotta, F., 1037
Drozdov, A. D.
—; Effect of Yielding on the Viscoelastic Response of Amorphous Glassy Polymers, 2383
Drummond, C. H. See Juang, Y.-J., 521
Du, Y. See Zheng, H., 2558
Duever, T. A. See Beigzadeh, D., 2200
Dufrancatel-Veiller, L.
—; Lacrampe, M. F.; Pabiot, J.: Die Swell of Thermoplastic Polyurethanes: A Peculiar Behavior, 1710

Ebenhoch, J. See Schmidt, R., 281, 613
Ebitani, K. See Zhu, H., 447
Eckersley, S. T.
—; Chaput, A. B.: Tensile Properties of Elastomeric Polyolefin Thin Films: The Path to Failure, 2545
Eguiazábal, J. I. See Vallejo, F. J., 885
Elms, F. M. See Dai, X. J., 1461
Elyashevich, G. K. See Raab, M., 214
Erdoğan, M. See Pekcan, Ö., 1907
Escoubes, M. See Damian, C., 2058
Espuche, E. See Damian, C., 2058
Esteban, I. See Granados, E. G., 949

Faghihi, K. See Mallakpour, S. E., 2416
Fainleib, A.
—; Galy, J.; Pascault, J.-P.; Sue, H.-J.: Two Ways of Synthesis of Polymer Networks Based on Diglycidyl Ether of Bisphenol A, Bisphenol A, and Sulfanilamide: Kinetics Study, 580
Fan, J. See Hu, X., 2437
Fan, R. See Lian, Y., 2823
Fang, J.
—; Chen, H.; Yu, X.: Studies on Plasma Polymerization of Hexamethyldisiloxane in the Presence of Different Carrier Gases, 1434
Fang, Z. See Shibata, M., 769
Farahmand, F. See Mehrabzadeh, M., 2573
Feng, J. See Li, Z., 2245
Feng, L. See Xu, X., 123
Feng, S. See Wu, Y., 975, 2341
Feng, Z. See Hu, J., 2335
Fernandes, E. G.
—; Lombardi, A.; Solaro, R.; Chiellini, E.: Thermal Characterization of Three-Component Blends for Hot-Melt Adhesives, 2889
Fernandez, J. O.
—; Swallowe, G. M.; Lee, S. F.: Crystallization of Nylon 11 Under Compressive High Strain Rates, 2031
Fernández-García, M. See De La Fuente, J. L., 783
Filho, A. A. S.
—; Galland, G. B.: Study of Propylene-1-butene-ethylene Terpolymer and Reactor Blend by TREF and ^{13}C-NMR, 1880
Flaris, V. See Bikiaris, D., 2877
Fonseca, J. L. C. See De Vasconcelos, C. L., 1285
Foroughifar, N. See Mallakpour, S. E., 2416
Fortelný, I. See Kelnar, I., 2273
Fraga, F.
—; Rodríguez Núñez, E.: Activation Energies for the Epoxy System BADGE *n* = O/m-XDA Obtained Using Data from Thermogravimetric Analysis, 776
Francis, L. F. See Grunlan, J. C., 692
Fréchet, J. M. J. See Jayaraman, M., 680
Freddi, G. See Arai, T., 297
Friedrich, K. See Zhang, M. Q., 2218
Frisch, H. L.
—; Ma, J.; Song, H.; Frisch, K. C.; Mengnjoh, P. C.; Molla, A. H.: Hybrid Electrically Conductive Polyaniline/Polyurethane Foams, 893

Frisch, K. C. See Frisch, H. L., 893
Fu, W. S. See Shiao, S. J., 1514
Fugit, J.-L.
—; Taverdet, J.-L.: Decreasing Pollution of Plasticized PVC Packaging: A Comparison of Three Plastic Treatments, 1841
Fukuoka, T.
—; Tatehata, H.; Mochizuki, A.: Synthesis and Characterization of Poly(hydroxyether). I. Poly(hydroxyether) Based on 2,2-Bis(4-hydroxyphenyl)-hexafluoropropane and 2,2-Bis(4-hydroxyphenyl)propane, 1687
—; See Tatehata, H., 1697
Fulchiron, R. See Won, J. C., 1021
Furukawa, H. See Yamamoto, T., 1609

Gadre, A. P. See Bhat, N. V., 2511
Gähr, F. See Stier, U., 2039
Gain, O. See Karabanova, L. V., 852
Galland, G. B. See Filho, A. A. S., 1880
Galy, J. See Fainleib, A., 580
Gan, L. H. See Loh, X. J., 268
Gan, S.-N.
—; Tan, B.-Y.: FTIR Studies of the Curing Reactions of Palm Oil Alkyd-Melamine Enamels, 2309
Gan, Y. Y. See Loh, X. J., 268
Ganglani, M.
—; Torkelson, J. M.; Carr, S. H.; Khait, K.: Trace Levels of Mechanochemical Effects in Pulverized Polyolefins, 671
Gao, C. See Guan, J., 634
Gao, W. See Wu, Q., 2154
Gaponova, I. S.
—; Pariiskii, G. B.; Zaikov, G. E.: Decomposition of Polypropylene Hydroperoxides Induced by Nitric Oxide: New Concept of Reaction Mechanism, 407
Garbassi, F. See Abbondanza, L., 377
Garfaroğullari, M. See Gündüz, G., 604
Gavalda, J. See Harismendy, I., 2759
Gaymans, R. J. See Bouma, K., 1173, 2676
Gennaro, A. See Abbondanza, L., 377
George, G. A. See Dai, X. J., 1461
Gerberich, W. W. See Grunlan, J. C., 692
Gercel, B. O.
—; Üner, D. O.; Pekel, F.; Özkar, S.: Improved Adhesive Properties and Bonding Performance of HTPB-Based Polyurethane Elastomer by Using Aziridine-Type Bond Promoter, 806
German, A. L. See Geurts, J. M., 1401
Geurts, J. M.
—; Göttgens, C. M.; van Graefschepe, M. A. I.; Welland, R. W. A.; van Es, J. J. G. S.; German, A. L.: Syntheses of New Amino-Functionalized Methacrylates and Their Use in Free Radical Polymerizations, 1401
Ghim, H. D. See Lyoo, W. S., 1003
Ghosh, P. K. See Bhowmik, S., 1140
Giani-Beaune, O. See Carlotti, S. J., 142
Giannotta, G. See Abbondanza, L., 377
Ginic-Markovic, M.
—; Choudhury, N. R.; Dimopoulos, M.; Matisons, J.; Kumudinie, C.: Macromolecular Modification of EPDM: Wettability, Miscibility, and Morphology Study, 2647
Glab, S. D. See Devlin, C. L. H., 1470
Gleason, K. K. See Labelle, C. B., 2084
Godshall, D.
—; White, C.; Wilkes, G. L.: Effect of Compatibilizer Molecular Weight and Maleic Anhydride Content on Interfacial Adhesion of Polypropylene–PA6 Bicomponent Fibers, 130
Gomaa, E. A. H. See Mohsen, M., 969
González-De Los Santos, E. A.
—; López-Rodríguez, A. S.; Lozano-González, M. J.; Soriano-Corral, F.: Starlike Nylon 6/Polyurethane Block Copolymers by Reaction Injection-Molding Process (RIM), 2483
González-Benito, J. See Granados, E. G., 949
Gordano, A. See Trotta, F., 1037
Gorelova, M. M. See Barra, G. M. O., 556; Leyva, M. E., 626; Tavares, M. I. B., 2120
Gorrasi, G.
—; Vittoria, V.; Longo, P.: Transport and Mechanical Properties of iPP–sPP Fibers, 539
Göttgens, C. M. See Geurts, J. M., 1401
Gould, S. A. C. See Schiraldi, D. A., 750
Grachev, A. B. See Siling, S. A., 398
Gradwell, M. H. S.
—; Grooff, D.: Comparison of Tetraethyl- and Tetramethylthiuram Disulfide Vulcanization. I. Reactions in the Absence of Rubber, 2292
Granados, E. G.
—; González-Benito, J.; Baselga, J.; Dibbern-Brunelli, D.; Atvars, T. D. Z.; Esteban, I.; Piérola, I. F.: Phase-Separated Polymer Blends: Complementary Studies between Scanning Electron Microscopy, Epifluorescence Microscopy, and Fluorescence Microspectroscopy, 949
Grenet, J. See Lebaudy, P., 2683
Grooff, D. See Gradwell, M. H. S., 2292
Grunlan, J. C.
—; Gerberich, W. W.; Francis, L. F.: Lowering the Percolation Threshold of Conductive Composites Using Particulate Polymer Microstructure, 692
Gu, L. See Zhou, Z., 1520
Gu, T. See Yin, W., 1368
Guan, J.
—; Gao, C.; Yang, W.; Shen, J.: Self-Crosslinking and Cocrosslinking with Nitrile Rubber of Poly(vinyl chloride) with Pendent *N,N*-Diethyldithiocarbamate Group, 634

Guasi, K. See Halász, L., 898
Güçlü, G. See Gürdağ, G., 2267
Guemonprez, R. See Mathiowitz, E., 317
Gumargalieva, K. See Horák, D., 913
Gündüz, G.
—; Garfaroğullari, M.: Highly Branched and Tartaric Acid-Based Water-Borne Resins, 604
Guo, J.-S. See Xie, H.-Q., 2446
Gupta, K. C.
—; Ravi Kumar, M. N. V.: Studies on Semi-Interpenetrating Polymer Network Beads of Chitosan–Poly(ethylene glycol) for the Controlled Release of Drugs, 639
Gürdağ, G.
—; Güçlü, G.; Özgümüş, S.: Graft Copolymerization of Acrylic Acid onto Cellulose: Effects of Pretreatments and Crosslinking Agent, 2267
Gurdaliyev, X. X. See Ozden, S., 2113

Ha, C.-S. See Kang, T.-K., 1085
Ha, H. C. See Kweon, H., 928
Ha, W. S. See Lyoo, W. S., 1003
Habibi, S. See Mallakpour, S. E., 1312
Haga, T.
—; Takagishi, T.: Structural Change in Mercerized Cotton Fibers on Cellulase Treatment, 1675
Hahm, H.-S. See Park, H.-S., 2316
Hajipour, A.-R. See Mallakpour, S. E., 1312, 2416
Halász, L.
—; Vorster, O.; Pizzi, A.; Guasi, K.: Rheology Study of Gelling of Phenol-Formaldehyde Resins (Note), 898
Hamciuc, C. See Sava, I., 650
Hamciuc, E. See Sava, I., 650
Hamedi, M.
—; Danner, R. P.: Prediction of Solubility Parameters Using the Group-Contribution Lattice-Fluid Theory, 197
Hamerton, I.
—; Hay, J. N.; Howlin, B. J.; Jepson, P.; Mortimer, S.: The Development of Controllable Complex Curing Agents for Epoxy Resins. I. Preparation, Characterization, and Storage Behavior of Transition Metal–Diamine Complexes, 1489
Han, R. See Jiang, W. H., 529
Han, S. S. See Lyoo, W. S., 1003
Han, Y. K. See Kim, E. K., 1388
Hao, J. H.
—; Chen, C.; Li, L.; Yu, L.; Jiang, W.: Preparation of Bipolar Membranes (I), 1658
—; Wang, S.: Calculation of Alcohol-Acetone-Cellulose Acetate Ternary Phase Diagram and Their Relevance to Membrane Formation, 1650
Harismendy, I.
—; Del Río, M.; Marieta, C.; Gavalda, J.; Mondragon, I.: Dicyanate Ester–Polyetherimide Semi-Interpenetrating Polymer Networks. II. Effects of Morphology on the Fracture Toughness and Mechanical Properties, 2759
Harrup, M. K. See Stewart, F. F., 242, 422
Hasiak, B. See Waterlot, C., 223
Hassan, M. L.
—; Nada, A.-A. M. A.: Recycled Old Newsprint Fibers as a Reinforcing Filler in Molded Polyester Composites, 2018
Haupt, D. L. See Kinney, J. H., 1746
Hay, J. N. See Hamerton, I., 1489
Hayase, S. See Murai, S., 181
Hayes, B. S. See Tillman, M. S., 1643
He, B. See Liu, L., 1976
He, G. See Zheng, J., 1299
He, P. See Xu, W., 304
He, W.-D.
—; Pan, C.-Y.: Influence of Reaction Between Second Monomer and Vinyl Group of Seed Polysiloxane on Seeded Emulsion Polymerization, 2752
—; Pan, C.-Y.; Lu, T.: Soapless Emulsion Polymerization of Butyl Methacrylate Through Microwave Heating, 2455
He, X.
—; Wang, L.; Chen, X.: PTC Effect in Carbon Black-Filled Ethylene–Propylene–Diene Terpolymer Systems, 1571
He, Y. See Shuai, X., 2600
He, Y.-B. See Meng, L.-Z., 58
Heinrich, H. See Pizzi, A., 2128
Hekal, T. M. See Mathiowitz, E., 317
Heller, J. See Bai, X.-L., 1630
Hindia, T. A. See Yahia Abed, M., 2145
Holler, P. See Lokaj, J., 2024
Hong, S. I. See Lyoo, W. S., 1003
Horák, D.
—; Beneš, M. J.; Gumargalieva, K.; Zaikov, G.: A Novel Highly Copper(II)-Selective Chelating Ion Exchanger Based on Poly(Glycidyl Methacrylate-*co*-Ethylene Dimethacrylate) Beads Modified with Aspartic Acid Derivative, 913
Hou, Y. H.
—; Zhang, M. Q.; Mai, K. C.; Rong, M. Z.; Yu, G.; Zeng, H. M.: Heat Treatment-Induced Multiple Melting Behavior of Carbon Black-Filled Polymer Blends in Relation to the Conductive Performance Stabilization, 1267
Howlin, B. J. See Hamerton, I., 1489
Hsiao, S.-H.
—; Liou, G.-S.; Chang, L.-M.: Synthesis and Properties of Organosoluble Polyimide/Clay Hybrids, 2067
Hsieh, F.-H. See Chang, L.-C., 10
Hsu, W.-P.
—; Solvent Effects on the Miscibility of Poly(methyl methacrylate)/Poly(bisphenol A carbonate) Blends, 2842
Hu, J.
—; Zhang, B.; Feng, Z.; Wang, H.; Zhou, A.: Synthesis and Characterization of Chiral Smectic Side-Chain Liquid Crystalline Polysiloxanes and Ionomers Containing Sulfonic Acid Groups, 2335
Hu, K. A. See Xiao, Y., 2162
Hu, X.
—; Fan, UJ.; Yue, C. Y.: Rheological Study of Crosslinking and Gelation in Bismaleimide/Cyanate Ester Interpenetrating Polymer Network, 2437
Hu, Y. See Wu, Q., 2154

Hu, Z.
—; Wu, L.; Wu, D.; Chen, S.: Kinetics of Mesophase Transition of Lyotropic Chitosan in Dichloroacetic Acid, 1770
Huang, F.-C.
—; Ke, C.-H.; Kao, C.-Y.; Lee, W.-C.: Preparation and Application of Partially Porous Poly(Styrene-Divinylbenzene) Particles for Lipase Immobilization, 39
Huang, H.
—; Yao, Z.; Yang, J.; Wang, Y.; Shi, D.; Yin, J.: Morphology, Structure, and Rheological Property of Linear Low-Density Polyethylene Grafted with Acrylic Acid, 2538
—; Zhang, J.-Z.; Shi, W.-F.: Photopolymerization and the Related Properties of Dendritic Methacrylated Polyesters, 499
—; See Meng, L.-Z., 58
Huang, J. See Zhang, L., 1213
Huang, L. See Zheng, J., 1299
Huang, R. See Li, Z., 2245; Zheng, H., 2558
Huang, Y. See Xiao, Q., 1681
Hung, S.-L. See Digar, M., 1319
Hwang, K.-H. See Park, H.-S., 2316

Ikehara, T. See Ohishi, H., 2347
Im, S. S. See Kim, E. K., 1388; Myung, H. S., 2640
Im, W.-B. See Park, H.-S., 2316
Inoue, Y. See Shuai, X., 2600
Ioanid, A. See David, G., 2191
Iordanov, G. See Alexandrova, I., 47
Ishizaka, T. See Tsuji, H., 2281
Ito, H. See Takarada, W., 1575, 1582, 1589
Ito T.
—; Yamaguchi, Y.; Watanabe, H.; Asakura, T.: Structural Analysis of Oriented Poly(ε-Caprolactone) Including $CaCO_3$ Particles with ^{13}C Solid-State NMR, 2376

Jabarin, S. A. See Shi, Y., 2422
Jacob, J. S. See Mathiowitz, E., 317
Jakisch, L. See Kelnar, I., 2273
Janata, M. See Kelnar, I., 2273
Jang, J. See Shin, Y., 2495
Jasso, C. F.
—; Valdéz, J.; Pérez, J. H.; Laguna, O.: Analysis of Butyl Acrylate Diffusion in a Glassy Polystyrene Matrix to Predict Gradient Structure, 1343
Jayaraman, M.
—; Fréchet, J. M. J.; Dias, A. J.; Wang, H. C.: Curing Partially Brominated Poly(isobutylene-*co*-4-methylstyrene) Elastomers with Phenolic Resins: Mechanistic Investigation, 680
Jegal, J. See Oh, N.-W., 1854, 2729
Jena, P. K. See Nayak, P., 1349
Jeong, H.-K. See Chang, J.-H., 2746
Jeong, K. U.
—; Park, I. Y.; Kim, I. C.; Yoon, T. H.: Adhesive and Flame Resistance Behavior of Poly(arylene ether phosphine oxide) (PEPO) and PEPO-Modified Epoxy Resins, 1198
Jeong, Y.-I.
—; Cho, C.-S.; Kim, S.-H.; Ko, K.-S.; Kim, S.-I.; Shim, Y.-H.; Nah, J.-W.: Preparation of Poly(DL-lactide-*co*-glycolide) Nanoparticles Without Surfactant, 2228
Jepson, P. See Hamerton, I., 1489
Jiang, H. L.
—; Zhu, K. J.: Polyanion/Gelatin Complexes as pH-Sensitive Gels for Controlled Protein Release, 1416
Jiang, W. See Hao, J. H., 1658
Jiang, W. H.
—; Han, R.: Gas Chromatographic Measurements of Diffusion Coefficients of Trace Amounts of Benzene, Toluene, and Ethylbenzene in Polyisobutylene at Elevated Temperatures, 529
Jipa, S. See Zaharescu, T., 2053
Jollands, M. See Kukaleva, N., 831
Jong, Y. S. See Mathiowitz, E., 317
Juang, Y.-J.
—; Bruer, D.; Lee, L. J.; Koelling, K. W.; Srinivasan, N.; Drummond, C. H.; Wong, B. C.: A Method for Assessing the Effect of Polymer Sheeting Rheology, Surface Pattern, and Processing Conditions on Glass Lamination, 521
Jurkowski, B.
—; Olkhov, Y. A.; Kelar, K.; Olkhova, O. M.: Changes in Structure of PA6 During Processing, 2361

Kale, D. D. See Paul, S., 2593
Kamdem, D. P. See Matuana, L. M., 1943
Kamoun, C. See Pizzi, A., 2128
Kan, C. Y.
—; Kong, X. Z.; Yuan, Q.; Liu, D. S.: Morphological Prediction and Its Application to the Synthesis of Polyacrylate/Polysiloxane Core/Shell Latex Particles, 2251
Kanapitsas, A. See Vatalis, A. S., 1071
Kaneda, K. See Zhu, H., 447
Kang, C.-S. See Chang, J.-H., 2746
Kang, E. T. See Lim, V. W. L., 716; Tan, H. H., 1; Wu, J. Z., 1526
Kang, T.-K.
—; Kim, Y.; Cho, W.-J.; Ha, C.-S.: Syntheses and Characterization of Poly(butylene terephthalate) Copolyesters Modified with *p*-Acetoxybenzoic Acid, 1085
Kao, C.-Y. See Huang, F.-C., 39
Kara, S.
—; Pekcan, Ö.: *In Situ* Real-Time Photon Transmission Technique for Monitoring Formation of Polyacrylamide Gels at Various Crosslinker Contents, 823
—; Pekcan, Ö.: Photon Transmission Technique for Monitoring Drying Processes in Acrylamide Gels Formed with Various Crosslinker Contents, 1898
Karabanova, L. V.
—; Boiteux, G.; Gain, O.; Seytre, G.; Sergeeva, L. M.; Lutsyk, E. D.: Semiinterpenetrating Polymer Networks Based on Polyurethane and Polyvinylpyrrolidone. I.

Thermodynamic State and Dynamic Mechanical Analysis, 852
Kartalis, C. N. See Tsenoglou, C., 2207
Kasıkçı, H.
—; Pekel, F.; Özkar, S.: Curing Characteristics of Glycidyl Azide Polymer-Based Binders, 65
Kawaguchi, Y.
—; Yasuda, H.: Synthesis of Monodisperse Poly(butyl acrylate) Initiated by $SmMe(C_5Me_5)_2(THF)$ and Its Adhesive Properties After Crosslinking by Electron-Beam Irradiation, 432
—; See Okazaki, M., 573; Shirahama, H., 340
Kaya, D. See Pekcan, Ö., 1907
Ke, C.-H. See Huang, F.-C., 39
Kelar, K. See Jurkowski, B., 2361
Kelnar, I.
—; Stephan, M.; Jakisch, L.; Janata, M.; Fortelný, I.: Compatibilization of PA6/PPO Blend with Carboxylated Poly(styrene) Compounds, 2273
Kenawy, E.-R.
—; Sakran, M. A.: Controlled Release of Polymer Conjugated Agrochemicals. System Based on Poly(Methyl Vinyl Ether-*alt*-Maleic Anhydride), 415
Khait, K. See Ganglani, M., 671
Khastgir, D. See Das, N. C., 1601
Khatua, B. B.
—; Das, C. K.: Polyblend Systems of Polyurethane (AU) and Ethylene Acrylic Elastomer (vamac) Using the Sulfur Cure Systems, 2737
Khripunov, A. K. See Buyanov, A. L., 1452
Kijowska, D. See Kucharski, M., 1776
Kikutani, T. See Takarada, W., 1575, 1582, 1589
Kim, B. C. See Kim, E. K., 1388; Myung, H. S., 2640
Kim, D. See Park, J. H., 115
Kim, D. S.
—; Estimation of Viscosity Functions for Thermosets from Spiral Mold Filling, 873
Kim, D.-W. See Park, H.-S., 2316
Kim, E. K.
—; Bae, J. S.; Im, S. S.; Kim, B. C.; Han, Y. K.: Preparation and Properties of Branched Polybutylenesuccinate, 1388
Kim, I. C. See Jeong, K. U., 1198
Kim, J.
—; Ahmed, R.; Lee, S. J.: Synthesis and Linear Viscoelastic Behavior of Poly(amic acid)–Organoclay Hybrid, 593
Kim, J.-Y. See Lee, S.-S., 1206
Kim, K. M.
—; Kim, Y. W.; Choi, B. K.; Yoon, H. J.; Paeng, K.-J.; Nam, H.: Physical and Potentiometric Properties of Polyurethane-Based Cation-Selective Membranes, 618
Kim, M. G.
—; Examination of Selected Synthesis Parameters for Wood Adhesive-Type Urea–Formaldehyde Resins by ^{13}C NMR Spectroscopy. III, 2800
Kim, M.-N. See Park, E.-S., 728
Kim, S. See Lu, M., 1052
Kim, S.-H. See Jeong, Y.-I., 2228
Kim, S.-I. See Jeong, Y.-I., 2228
Kim, T.-J. See Park, S.-J., 1439
Kim, Y. See Kang, T.-K., 1085
Kim, Y. W. See Kim, K. M., 618
Kinney, J. H.
—; Marshall, G. W.; Marshall, S. J.; Haupt, D. L.: Three-Dimensional Imaging of Large Compressive Deformations in Elastomeric Foams, 1746
Kinning, D. J. See Mazurek, M., 159
Kinoshita, T. See Mazurek, M., 159
Kioussis, D. R.
—; Smith, D. F.; Kofinas, P.: Ammonium Perchlorate–Binding Poly(allylamine hydrochloride) Hydrogels for Wastewater Remediation, 2073
Kitagawa, T.
—; Yabuki, K.: An Analysis of Capillary Water Behavior in Poly-*p*-Phenylenebenzobisoxazole Fiber, 1030
Klein, A. See You, X., 1951, 1963
Klibanov, A. M. See Mathiowitz, E., 317
Ko, K.-S. See Jeong, Y.-I., 2228
Ko, S.-W. See Lee, M. H., 438
Kocherginsky, N. See Tan, H. H., 1
Koelling, K. W. See Juang, Y.-J., 521
Kofinas, P. See Kioussis, D. R., 2073
Kohl, P. A. See Patel, K. S., 2328
Kojima, Y.
—; Takahara, M.; Matsuoka, T.; Takahashi, H.: High-Pressure Differential Thermal Analysis of Polymers, 1046
Konagaya, S.
—; Tokai, M.; Kuzumoto, H.: Reverse Osmosis Performance and Chlorine Resistance of New Ternary Aromatic Copolyamides Comprising 3,3′-Diaminodiphenylsulfone and a Comonomer with a Carboxyl Group, 505
Kong, X. Z. See Kan, C. Y., 2251
Köppl, A.
—; Alt, H. G.; Phillips, M. D.: Partially Hydrolyzed Trimethylaluminum (PHT) as Heterogeneous Cocatalyst for the Polymerization of Olefins with Metallocene Complexes, 454
Koros, W. J. See Djoekita, G., 311
Kosior, E. See Kukaleva, N., 831
Kothandaraman, H.
—; Sangeetha, D.; Sriramulu, A. A.; Nayagam, M. P. M.; Aminabhavi, T. M.: Polymerization Kinetics of Styrene Using Coordination Catalysts Containing Rare Earth Compounds, 995
Kovalevski, A. Y. See Siling, S. A., 398
Kozlov, A. G. See Raab, M., 214
Kravchenko, O. V. See Talanova, G. G., 207
Kubota, N.
—; Tatsumoto, N.; Sano, T.; Matsukawa, Y.: Temperature-Responsive Properties of Poly(acrylic acid-*co*-acrylamide)-*graft*-Oligo(ethylene glycol) Hydrogels, 798
Kucharski, M.
—; Kijowska, D.: Synthesis of Polyetherols from Melamine and Ethylene Carbonate, 1776

Kukaleva, N.
—; Cser, F.; Jollands, M.; Kosior, E.: Comparison of Structure and Properties of Conventional and "High Crystallinity" Isotactic Polypropylenes and Their Blends with Metallocene-Catalyzed Linear Low Density Polyethylene. II. Morphological Studies, 831
Kumudinie, C. See Ginic-Markovic, M., 2647
Kurnosov, V. V. See Starostina, I. A., 388
Kuznetzov, Yu. P. See Buyanov, A. L., 1452
Kuzumoto, H. See Konagaya, S., 505
Kweon, H.
—; Ha, H. C.; Um, I. C.; Park, Y. H.: Physical Properties of Silk Fibroin/Chitosan Blend Films, 928
Kweon, H. Y.
—; Park, S. H.; Yeo, J. H.; Lee, Y. W.; Cho, C. S.: Preparation of Semi-Interpenetrating Polymer Networks Composed of Silk Fibroin and Poly(ethylene glycol) Macromer, 1848

Labelle, C. B.
—; Gleason, K. K.: Pulsed Plasma Deposition from 1,1,2,2-Tetrafluoroethane by Electron Cyclotron Resonance and Conventional Plasma Enhanced Chemical Vapor Deposition, 2084
Lacrampe, M. F. See Dufrancatel-Veiller, L., 1710
Laguna, O. See Jasso, C. F., 1343
Lai, P.-K. See Anderson, D., 1274
Langer, R. See Mathiowitz, E., 317
Larena, A. See Bikiaris, D., 2877
Larock, R. C. See Li, F., 658
Lash, R. P. See Stewart, F. F., 242, 422
Lau, W. See Qin, S.-H., 2566
Laverde, D. See Rojas, V., 2633
Lavrentyev, V. K. See Raab, M., 214
Lebaudy, P.
—; Grenet, J.: Heating Simulation of Multilayer Preforms, 2683
Leblanc, J. L.
—; Cartault, M.: Advanced Torsional Dynamic Methods to Study the Morphology of Uncured Filled Rubber Compounds, 2093
Lee, J. See Lyoo, W. S., 1003
Lee, J. S. See Lyu, M.-Y., 1814
Lee, K.-H. See Ahn, J.-S., 274; Oh, N.-W., 1854, 2729; Park, Y.-I., 1785
Lee, L. J. See Juang, Y.-J., 521
Lee, M.
—; Wakida, T.; Lee, M. S.; Pak, P. K.; Chen, J.: Dyeing Transition Temperature of Wools Treated with Low Temperature Plasma, Liquid Ammonia, and High-Pressure Steam in Dyeing with Acid and Disperse Dyes, 1058
Lee, M. H.
—; Yoon, K. J.; Ko, S.-W.: Synthesis of a Vinyl Monomer Containing β-Cyclodextrin and Grafting onto Cotton Fiber, 438
Lee, M. S. See Lee, M., 1058
Lee, S. F. See Fernandez, J. O., 2031
Lee, S. H. See Woo, B.-G., 1253
Lee, S. J. See Kim, J., 593
Lee, S.-S.
—; Park, K.-Y.; Kim, J.-Y.; Suh, K.-D.: Effect of GMA on Monodisperse Epoxy-Functionalized Polymer Microsphere Particles by Dispersion Copolymerization of Styrene with Glycidyl Methacrylate, 1206
Lee, W.-C. See Huang, F.-C., 39
Lee, W.-F.
—; Chen, Y.-M.: Poly(sulfobetaine)s and Corresponding Cationic Polymers. VIII. Synthesis and Aqueous Solution Properties of a Cationic Poly(methyl iodide quaternized styrene–*N,N*-dimethylaminopropyl maleamidic acid) Copolymer, 1619
Lee, Y.-J. See Park, E.-S., 728
Lee, Y. W. See Kweon, H. Y., 1848
Lenka, S. See Nayak, P., 1349
Lewis, L. L. See Masere, J., 686
Leyva, M. E.
—; Barra, G. M. O.; Gorelova, M. M.; Soares, B. G.; Sens, M.: Conducting SBS Block Copolymer–Polyaniline Blends Prepared by Mechanical Mixing, 626
—; See Barra, G. M. O., 556
Li, B. G. See Xie, X. L., 2105
Li, C. See Liu, L., 1976
Li, D. See Wu, L., 252
Li, F.
—; Larock, R. C.: New Soybean Oil–Styrene–Divinylbenzene Thermosetting Copolymers. I. Synthesis and Characterization, 658
—; Wang, J.; Xie, T.; Wang, D.; Tang, J.; Tang, X.: Synthesis and Study of a New Polyorganophosphazene, 1446
Li, H.
—; Zheng, M.; Xu, X.: A Study on HDPE/Sulfonated EPDM-Treated $CaCO_3$ Blends, 2140
Li, J. See Yin, W., 1368
Li, L. See Hao, J. H., 1658
Li, Q. Y. See Wan, Y. Z., 367
Li, R. K. Y. See Tai, C. M., 2718; Xie, X. L., 2105
Li, S.-D.
—; Yu, P. H.; Cheung, M. K.: Thermogravimetric Analysis of Poly(3-hydroxybutyrate) and Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate), 2237
Li, T.
—; Tao, J.; Cong, P.; Liu, X.: Study on the Tribological Characteristics of Solid Lubricants Embedded Tin-Bronze Bearings, 2394
—; See Liu, X., 2790
Li, X. See Liu, L., 1976
Li, Y.
—; Wang, G.; Yan, D.: Transparent Organic Materials Made from Copolymerization of Styrene with Urethane-Methacrylate Macromer. I. Monomacromer System, 348
—; See Su, Z., 1764; Yin, W., 1368; Zheng, J., 1299
Li, Z.
—; Yang, M.; Huang, R.; Zhang, M.; Feng, J.: Bismaleimide Resin Modified with Diallyl Bisphenol A and Diallyl *p*-

Phenyl Diamine for Resin Transfer Molding, 2245
—; See Mai, K., 2609, 2617
Lian, Y.
—; Zhang, Y.; Peng, Z.; Zhang, X.; Fan, R.; Zhang, Y.: Properties and Morphologies of PVC/Nylon Terpolymer Blends, 2823
Liang, J.-Z.
—; Influence of Die Angles on Pressure Drop during Extrusion of Rubber Compound, 1150
Liao, W.-T. See Chen, C.-H., 943, 956
Liaw, D. J. See Wu, J. Z., 1526
Lim, V. W. L.
—; Kang, E. T.; Neoh, K. G.; Tan, K. L.: Lamination of Conductive Polypyrrole Films to Poly(Tetrafluoroethylene) Films via Interfacial Graft Copolymerization, 716
Lin, D. G.
—; Vorobieva, E. V.: On Oxidation and Adhesion of Copper-Filled PE, 2047
Lin, M.-S.
—; Chiu, C.-C.: Differences in Curing Behavior of Cocured and IPN Materials, 963
Lin, S.-H. See Liu, J.-H., 328
Lin, S.-S.
—; Chen, S.-H.; Chang, C.-Y.; Chang, D.-J.; Chen, C.-C.: Abatement of Heavy Metals and Softening of Hard Water by the $CoAlPO_4$-5/Polysulfone Membrane, 2768
Liotta, C. L. See Connor, D. M., 2696
Liou, G.-S. See Hsiao, S.-H., 2067
Liu, D. S. See Kan, C. Y., 2251
Liu, F. T. See Tan, H. H., 1
Liu, H. See Xiao, C., 26
Liu, J.-H.
—; Lin, S.-H.; Shih, J.-C.: Preparation and Characterization of Photoreactive Copolymers Containing Curable Pendants for Positive Photoresist, 328
Liu, L.
—; Li, C.; Li, X.; Yuan, Z.; An, Y.; He, B.: Biodegradable Polylactide/Poly(ethylene glycol)/Polylactide Triblock Copolymer Micelles as Anticancer Drug Carriers, 1976
Liu, P. See Wu, Y., 2341
Liu, Q. See Xiao, L., 979; Xie, W., 2176
Liu, R. See Xu, X., 123
Liu, S. See Zhou, Z., 1520
Liu, W. See Liu, X., 2790
Liu, W.-M. See Zhang, Z.-Z., 1891
Liu, X.
—; Li, T.; Tian, N.; Liu, W.: Study on Tribological Properties of Frictional Material Based Aromatic Polyamide, 2790
—; See Li, T., 2394
Liu, Y. See Xie, H.-Q., 903
Liu, Z.-P. See Yang, Z.-Z., 1835
Lo, Y.-W. See Chen, C.-H., 943, 956
Loh, X. J.
—; Roshan Deen, G.; Gan, Y. Y.; Gan, L. H.: Water-Sorption and Metal-Uptake Behavior of pH-Responsive Poly (*N*-acryloyl-*N'*-methylpiperazine) Gels, 268
Lokaj, J.
—; Holler, P.: Nitroxide-Mediated Homopolymerization and Copolymerization of 2-Vinylpyridine with Styrene, 2024
Lombardi, A. See Fernandes, E. G., 2889
Longo, P. See Gorrasi, G., 539
López, J. See Nogueira, P., 71
López-Bueno, I. See Nogueira, P., 71
López-Rodríguez, A. S. See Gonzalez-De Los Santos, E. A., 2483
Lozano-González, M. J. See Gonzalez-De Los Santos, E. A., 2483
Lozano, K.
—; Bonilla-Rios, J.; Barrera, E. V.: A Study on Nanofiber-Reinforced Thermoplastic Composites (II): Investigation of the Mixing Rheology and Conduction Properties, 1162
Lu, M.
—; Kim, S.: Unsaturated Polyester Resins Based on Recycled PET: Preparation and Curing Behavior, 1052
Lu, T. See He, W.-D., 2455
Lu, Y. See Wei, H., 51; Xiao, C., 26; Zhang, Z., 1558
Luepke, T. See An Huy, T., 148
Luo, H. See Chen, J., 1983
Luo, X. See Zhang, Z., 1558
Luther, T. A. See Stewart, F. F., 242, 422
Lutsyk, E. D. See Karabanova, L. V., 852
Lyoo, W. S.
—; Han, S. S.; Choi, J. H.; Ghim, H. D.; Yoo, S. W.; Lee, J.; Hong, S. I.; Ha, W. S.: Preparation of High Molecular Weight Poly(vinyl Alcohol) With High Yield Using Low-Temperature Solution Polymerization of Vinyl Acetate, 1003
Lyu, M.-Y.
—; Lee, J. S.; Pae, Y.: Study of Mechanical and Rheological Behaviors of Linear and Branched Polycarbonates Blends, 1814

Ma, C.-C. M. See Wang, F.-Y., 188
Ma, D. See Zhang, Z., 1558
Ma, G. See Ni, H., 1988, 2002
Ma, J. See Frisch, H. L., 893
Ma, X.
—; Yan, H.; Ning, R.: Modification of Bismaleimide With Allyl Compound and *N*-Phenylmaleimide, 2518
Ma, Y. C.
—; Manolache, S.; Sarmadi, M.; Denes, F.: Plasma-Enhanced Synthesis of Maltodextrin–Polydimethylsiloxane Graft Copolymers, 1120
Machado, A. V.
—; Covas, J. A.; Walet, M.; van Duin, M.: Effect of Composition and Processing Conditions on the Chemical and Morphological Evolution of Pa-6/Epm/Epm-*g*-Ma Blends in a Corotating Twin-Screw Extruder, 1535
Madruga, E. L. See De La Fuente, J. L., 783
Mai, K.
—; Li, Z.; Qiu, Y.; Zeng, H.: Mechanical Properties and Fracture Morphology of $Al(OH)_3$/Polypropylene Composites Modified by PP

Grafting with Acrylic Acid, 2617
—; Li, Z.; Zeng, H.: Physical Properties of PP-*g*-AA Prepared by Melt Extrusion and its Effects on Mechanical Properties of PP, 2609
Mai, K. C. See Hou, Y. H., 1267
Mallakpour, S. E.
—; Hajipour, A.-R.; Faghihi, K.; Foroughifar, N.; Bagheri, J.: Novel Optically Active Poly(amide-imide)s with Tetra-Hydropyrimidinone and Tetrahydro-2-Thioxopyrimidine Moieties by Microwave-Assisted Polycondensation, 2416
—; Hajipour, A.-R.; Habibi, S.: Synthesis of Novel Poly(amide-imide)s Containing Trimellitylimido-DL/L-Alanine Moieties via Direct Polycondensation, 1312
—; Rostamizadeh, H.: Synthesis of New Polyureas Derived from 4-Cyclohexylurazole, 1335
Mandel, F. S. See Conway, S. E., 1155
Mano, E. B. See Bonelli, C. M. C., 1305
Manolache, S. See Ma, Y. C., 1120
Mao, C.-F. See Chen, C.-H., 943, 956
Marieta, C. See Harismendy, I., 2759
Marra, G. See Abbondanza, L., 377
Marshall, G. W. See Kinney, J. H., 1746
Marshall, S. J. See Kinney, J. H., 1746
Martins, A. F. See Bonelli, C. M. C., 1305
Masere, J.
—; Lewis, L. L.; Pojman, J. A.: Optical Gradient Materials Produced via Low-Temperature Isothermal Frontal Polymerization, 686
Mathiowitz, E.
—; Jacob, J. S.; Jong, Y. S.; Hekal, T. M.; Spano, W.; Guemonprez, R.; Klibanov, A. M.; Langer, R.: Novel Desiccants Based on Designed Polymeric Blends, 317
Matisons, J. See Ginic-Markovic, M., 2647
Matsukawa, Y. See Kubota, N., 798
Matsuoka, T. See Kojima, Y., 1046
Matsuzawa, S. See Agawa, K., 467
Matuana, L. M.
—; Kamdem, D. P.; Zhang, J.: Photoaging and Stabilization of Rigid PVC/Wood-Fiber Composites, 1943
Maturana, H. A. See Rivas, B. L., 2123
Matzinos, P. See Bikiaris, D., 2877
Mazrouaa, A. M. See Yahia Abed, M., 2145
Mazurek, M.
—; Kinning, D. J.; Kinoshita, T.: Novel Materials Based on Silicone–Acrylate Copolymer Networks, 159
McGrath, J. E. See Yoon, T.-H., 1504
McHugh, M. A. See Conway, S. E., 1155
Mehrabzadeh, M.
—; Farahmand, F.: Recycling of Commingled Plastics Waste Containing Polypropylene, Polyethylene, and Paper, 2573
Meijs, G. F. See Chaouk, H., 1756
Mekhilef, N.
—; Viscoelastic and Pressure–Volume–Temperature Properties of Poly(vinylidene fluoride) and Poly(vinylidene fluoride)–Hexafluoropropylene Copolymers, 230
Meng, L.-Z.
—; Huang, H.; He, Y.-B.; Chen, Y.-Y.; Wang, H.: Preparation and Behavior of Calix 4]arene-containing Organosilicone Resins (I), 58
Mengnjoh, P. C. See Frisch, H. L., 893
Mercer, F. See Sava, I., 650
Miao, Y. See Su, Z., 1764
Mihalcea, I. See Zaharescu, T., 2053
Mishra, D. K. See Nayak, P., 1349
Miura, T. See Wu, G., 1062
Mizugaki, T. See Zhu, H., 447
Mochizuki, A. See Fukuoka, T., 1687; Tatehata, H., 1697
Mohamed, H. A.
—; Badran, B. M.; Aglan, H. A.: Waterborne Methylamine Adduct as Corrosion Inhibitor for Surface Coatings, 286
Mohamed, M. G. See Yahia Abed, M., 2145
Mohsen, M.
—; Gomaa, E. A. H.; Schut, H.; van Veen, A.: Positron Annihilation Lifetime Studies of Gas Sorption and Desorption in Polyethylene and Poly 1-(trimethylsilyl)-1-propyne], 969
Molla, A. H. See Frisch, H. L., 893
Mondragon, I. See Harismendy, I., 2759
Mortimer, S. See Hamerton, I., 1489
Mote, B. E. See Trumbo, D. L., 261, 2369
Müller, B.
—; Triantafillidis, D.: Polymeric Corrosion Inhibitors for Copper and Brass Pigments, 475
Murai, S.
—; Nakano, Y.; Hayase, S.: Novel Latent Initiator for Cationic Polymerization of Epoxides, 181
Murakami, A. See Shonaike, G. O., 1395
Murakami, R. See Arai, T., 297
Murota, M. See Okazaki, M., 573
Mysłek, M. See Zadrożna, I., 1374
Myung, H. S.
—; Yoon, W. J.; Yoo, E. S.; Kim, B. C.; Im, S. S.: Effect of Shearing on Crystallization Behavior of Poly(ethylene terephthalate), 2640

Na, Y.-H. See Shuai, X., 2600
Nada, A.-A. M. A. See Hassan, M. L., 2018
Nagai, M. See Ni, H., 1988, 2002
Nah, J.-W. See Jeong, Y.-I., 2228
Nahm, J.-H. See Ahn, J.-S., 274
Naik, H. G.
—; Aminabhavi, T. M.: Gas–Liquid Chromatographic Study of Polystyrene–*n*-Alkane Interactions, 1291
Nakano, Y. See Murai, S., 181
Nam, H. See Kim, K. M., 618

Naskar, N.
—; Debnath, S. C.; Basu, D. K.: Novel Method for Preparation of Carboxylated Nitrile Rubber–Natural Rubber Blends Using Bis(diisopropyl)Thiophosphoryl Polysulfides, 1725
Nassar, J. M. See Rials, T. G., 546
Navard, P. See Seyvet, O., 1627
Nayagam, M. P. M. See Kothandaraman, H., 995
Nayak, P.
—; Mishra, D. K.; Sahoo, K. C.; Pati, N. C.; Jena, P. K.; Lenka, S.; Nayak, P. L.: Polymers from Renewable Resources. XIII. Interpenetrating Polymer Networks Derived from Castor Oil–Hexamethylene Diisocyanate and Polymethacrylamide, 1349
Nayak, P. L. See Nayak, P., 1349
Nazábal, J. See Vallejo, F. J., 885
Neoh, K. G. See Lim, V. W. L., 716; Tan, H. H., 1; Wu, J. Z., 1526
Ng, S. See Bai, X.-L., 1630
Nguyen, T. See Anderson, D., 1274; Phillips, R. A., 2400
Nho, Y. C. See Choi, S.-H., 2851
Ni, H.
—; Ma, G.; Nagai, M.; Omi, S.: Effects of Ethyl Acetate on the Soap-Free Emulsion Polymerization of 4-Vinylpyridine and Styrene, 1988
—; Ma, G.; Nagai, M.; Omi, S.: Novel Method of Preparation of a Charged Mosaic Membrane by Using Dipole-Like Microspheres. II. Preparation of Dumbbell/Egg-Like Microspheres, 2002
Ninan, K. N. See Bindu, R. L., 737, 1664
Ning, R. See Ma, X., 2518
Nishi, T. See Ohishi, H., 2347
Nogueira, P.
—; Ramírez, C.; Torres, A.; Abad, M. J.; Cano, J.; López, J.; López-Bueno, I.; Barral, L.: Effect of Water Sorption on the Structure and Mechanical Properties of an Epoxy Resin System, 71
Nomura, M. See Wei, X., 1931
Noureddini, H. See Tadros, R. M., 514
Nowaczyk, J. See Wódzki, R., 2705

Öborn, J.
—; Bertilsson, H.; Rigdahl, M.: Styrene-Ethylene/Butylene-Styrene Blends for Improved Constrained-Layer Damping, 2865
Occelli, M. L. See Schiraldi, D. A., 750
Ochi, M. See Okamatsu, T., 1920
Ohishi, H.
—; Ikehara, T.; Nishi, T.: Phase Morphologies and Mechanical Properties of High-Impact Polystyrene (HIPS) and Polycarbonate Blends Compatibilized with Polystyrene and Polyarylate Block Copolymer, 2347
Oh, N.-W.
—; Jegal, J.; Lee, K.-H.: Preparation and Characterization of Nanofiltration Composite Membranes Using Polyacrylonitrile (PAN). I. Preparation and Modification of PAN Supports, 1854
—; Jegal, J.; Lee, K.-H.: Preparation and Characterization of Nanofiltration Composite Membranes Using Polyacrylonitrile (PAN). II. Preparation and Characterization of Polyamide Composite Membranes, 2729
Okamatsu, T.
—; Yasuda, Y.; Ochi, M.: Thermodynamic Work of Adhesion and Peel Adhesion Energy of Dimethoxysilyl-Terminated Polypropylene Oxide/Epoxy Resin System Jointed with Polymeric Substrates, 1920
Okamoto, M.
—; Synthesis and Properties of Polycarbonate-Poly(methyl methacrylate) Graft Copolymers by Polycondensation of Macromonomers, 2670
Okazaki, M.
—; Murota, M.; Kawaguchi, Y.; Tsubokawa, N.: Curing of Epoxy Resin by Ultrafine Silica Modified by Grafting of Hyperbranched Polyamidoamine Using Dendrimer Synthesis Methodology, 573
Okui, N. See Takarada, W., 1575, 1582, 1589
Olkhov, Y. A. See Jurkowski, B., 2361
Olkhova, O. M. See Jurkowski, B., 2361
Omi, S. See Ni, H., 1988, 2002
Oppermann, W. See Stier, U., 2039
Orme, C. J. See Stewart, F. F., 422
Özdemir, I. See Seçkin, T., 1329
Ozden, S.
—; Shaov, A. H.; Charayev, A. M.; Gurdaliyev, X. X.: The Effects of *p*-Butoxyphenylcyclohexyl-phosphinic Acid on the Properties of PC Based on Bisphenol A, 2113
Özdural, A. R. See Tanyolaç, D., 707
Özgümüş, S. See Gürdağ, G., 2267
Özkar, S. See Gercel, B. O., 806; Kasıkçı, H., 65

Pabiot, J. See Dufrancatel-Veiller, L., 1710
Pae, Y. See Lyu, M.-Y., 1814
Paeng, K.-J. See Kim, K. M., 618
Pak, P. K. See Lee, M., 1058
Panayiotou, C. See Bikiaris, D., 2877
Pan, C.-Y. See He, W.-D., 2455, 2752
Pan, Z. R. See Xie, X. L., 2105
Papaspyrides, C. D. See Tsenoglou, C., 2207
Pariiskii, G. B. See Gaponova, I. S., 407
Park, E.-S.
—; Lee, Y.-J.; Park, H. Y.; Kim, M.-N.; Chung, K.-H.; Yoon, J.-S.: Antifungal Effect of Carbendazim Supported on Poly(ethylene-*co*-vinyl alcohol) and Epoxy Resin, 728
Park, H.-S.
—; Kim, D.-W.; Hwang, K.-H.; Yoon, B.-S.; Wu, J.-P.; Park,

J.-W.; Hahm, H.-S.; Im, W.-B.: Preparation and Characterization of Polyurethane Flame-Retardant Coatings Using Pyrophosphoric Lactone-Modified Polyesters/Isophorone Diisocyanate–Isocyanurate, 2316
Park, H. Y. See Park, E.-S., 728
Park, I. K.
—; Park, Y. H.: Preparation and Structural Characterization of Water-Soluble *O*-Hydroxypropyl Chitin Derivatives, 2624
Park, I. Y. See Jeong, K. U., 1198
Park, J. H.
—; Kim, D.: Preparation and Characterization of Water-Swellable Natural Rubbers, 115
Park, J.-S.
—; Park, J.-W.; Ruckenstein, E.: A Dynamic Mechanical and Thermal Analysis of Unplasticized and Plasticized Poly(vinyl alcohol)/Methylcellulose Blends, 1825
Park, J.-W. See Park, H.-S., 2316; Park, J.-S., 1825
Park, K. M. See Chang, J.-H., 2746
Park, K.-Y. See Lee, S.-S., 1206
Park, S. H. See Kweon, H. Y., 1848
Park, S.-J.
—; Kim, T.-J.: Studies on Surface Energetics of Glass Fabrics in an Unsaturated Polyester Matrix System: Effect of Sizing Treatment on Glass Fabrics, 1439
Park, Y. H. See Kweon, H., 928; Park, I. K., 2624
Park, Y.-I.
—; Lee, K.-H.: Preparation of Water-Swollen Hydrogel Membranes for Gas Separation, 1785
Pascault, J.-P. See Fainleib, A., 580
Patel, K. S.
—; Kohl, P. A.; Bidstrup-Allen, S. A.: Three-Dimensional Dielectric Characterization of Polymer Films, 2328
Pathak, G. See Saujanya, C., 1547
Pati, N. C. See Nayak, P., 1349
Paul, D. R. See Cho, J. W., 484
Paul, R. K.
—; Pillai, C. K. S.: Melt/Solution Processable Polyaniline with Functionalized Phosphate Ester Dopants and Its Thermoplastic Blends, 1354
Paul, S.
—; Kale, D. D.: Blends of Acrylonitrile–Butadiene–Styrene/Waste Poly(ethylene terephthalate) Compatibilized by Styrene Maleic Anhydride, 2593
Pekcan, Ö.
—; Kaya, D.; Erdoğan, M.: Fluorescence Quenching Method for Measuring Monomer Consumption Rates During Free-Radical Crosslinking Copolymerization, 1907
—; See Kara, S., 823, 1898
Pekel, F. See Gercel, B. O., 806; Kasıkçı, H., 65
Peng, Z. See Lian, Y., 2823
Pereira, E. D. See Rivas, B. L., 2578
Pereira, M. R. See De Vasconcelos, C. L., 1285
Pérez, J. H. See Jasso, C. F., 1343
Petermann, J. See Xiao, Q., 1681
Petkov, I. See Philipova, Tz., 1863
Pfaendner, R. See Tsenoglou, C., 2207
Philipova, Tz.
—; Petkov, I.: Synthesis, Spectral Properties, and Application of 1,8-Naphthalimide Fluorophores for Modified Polymers, 1863
Phillips, M. D. See Köppl, A., 454
Phillips, R. A.
—; Nguyen, T.: Structure, Processing, Morphology, and Property Relationships of Biaxially Drawn Ziegler–Natta/Metallocene Isotactic Polypropylene Film, 2400
Piérola, I. F. See Granados, E. G., 949
Pillai, C. K. S. See Paul, R. K., 1354
Pissis, P. See Vatalis, A. S., 1071
Pizzi, A.
—; Zhao, C.; Kamoun, C.; Heinrich, H.: TTT and CHT Curing Diagrams of Water-Borne Polycondensation Resins on Lignocellulosic Substrates, 2128
—; See Halász, L., 898
Plackett, D. See Chuai, C., 2833
Po', R. See Abbondanza, L., 377
Pojman, J. A. See Masere, J., 686
Pooley, S. A. See Rivas, B. L., 2123
Poulsen, L. See Chuai, C., 2833
Prinos, J. See Bikiaris, D., 2877
Pu, Q. See Su, Z., 1764
Pulat, M.
—; Babayiğit, D.: Graft Copolymerization of PU Membranes with Acrylic Acid and Crotonic Acid Using Benzoyl Peroxide Initiator, 2690

Qi, Z. See Wu, Q., 2154
Qian, F. See Wu, L., 252
Qin, S.-H.
—; Qiu, K.-Y.; Westmoreland, D. G.; Lau, W.; Wu, S.; Swift, G.: Polymerization of Methyl Methacrylate With a Thermal Iniferter: Diethyl 2,3-Dicyano-2,3-di(*p*-tolyl)succinate, 2566
Qiu, K.-Y. See Qin, S.-H., 2566
Qiu, Y. See Mai, K., 2617
Qu, B. See Xie, R., 1181, 1190

Raab, M.
—; Šťudla, J.; Kozlov, A. G.; Lavrentyev, V. K.; Elyashevich, G. K.: Structure Development in Oriented Polyethylene Films and Microporous Membranes as Monitored by Sound Propagation, 214
Radhakrishnan, S. See Saujanya, C., 1547
Radmard, B.
—; Dadmun, M. D.: Effect of Transesterification on the Morphology and Mechanical Properties of a Blend Containing a Liquid Crystalline Polymer, 2583
Radusch, H.-J. See An Huy, T., 148
Raju, K. M. See Raju, M. P., 2635

Raju, M. P.
—; Raju, K. M.: Design and Synthesis of Superabsorbent Polymers, 2635
Raku, T.
—; Tokiwa, Y.: Synthesis of Thermosensitive Polymers Containing Sugar Branches, 384
Ramírez, C. See Nogueira, P., 71
Rånby, B. See Deng, J.-P., 1426
Rasoul, H. A. A. See Trumbo, D. L., 261
Ratna, D.
—; Banthia, A. K.; Deb, P. C.: Acrylate-Based Liquid Rubber as Impact Modifier for Epoxy Resin, 1792
Ravi Kumar, M. N. V. See Gupta, K. C., 639
Ray, D.
—; Sarkar, B. K.: Characterization of Alkali-Treated Jute Fibers for Physical and Mechanical Properties, 1013
Ray, S. See Bhowmik, S., 1140
Ray W. H. See Chakravarti, S., 1096; Xu, Z. G., 81
Reddy, B. S. R. See Thamizharasi, S., 1870
Regelink, M. See Bouma, K., 2676
Reghunadhan Nair, C. P. See Bindu, R. L., 737, 1664
Reifsnider, K. L. See Shan, L., 917
Revel'skaya, L. G. See Buyanov, A. L., 1452
Rials, T. G.
—; Wolcott, M. P.; Nassar, J. M.: Interfacial Contributions in Lignocellulosic Fiber-Reinforced Polyurethane Composites, 546
Ricard, A. See Ajzenberg, N., 1220
Riffle, J. S. See Shan, L., 917
Rigdahl, M. See Öborn, J., 2865
Rivas, B. L.
—; Pereira, E. D.: Selective Retention Properties to Silver(I) and Mercury(II) Ions of Poly(4-vinylpyridine) Methyl Iodide Studied by the Liquid-Phase Polymer-Based Retention Technique, 2578
—; Pooley, S. A.; Maturana, H. A.; Villegas, S.: Sorption Properties of Poly(styrene-*co*-divinylbenzene) Amine Functionalized Weak Resin, 2123
Robertson, C. G. See Shan, L., 917
Rodríguez Núñez, E. See Fraga, F., 776
Rogausch, K. D. See Xiao, Q., 1681
Rojas, V.
—; Laverde, D.; Correa, R.: Erratum to Anodic Electrodeposition of Asphalt-Polystyrene Emulsions on Galvanized Steel, 2633
Rong, M. Z. See Hou, Y. H., 1267; Zhang, M. Q., 2218
Ronova, I. A. See Siling, S. A., 398
Rose, L. J. See Beer, F., 2815
Roshan Deen, G. See Loh, X. J., 268
Rostamizadeh, H. See Mallakpour, S. E., 1335
Roşu, D.
—; Ciobanu, C.; Caşcaval, C. N.: Synthesis and Properties of Graft Copolymer Derived from Polyurethane and Dihydroxyacrylate of Bisphenol A, 1802
Ruckenstein, E. See Park, J.-S., 1825; Yin, W., 1368
Russell, T. P. See Devlin, C. L. H., 1470
Ryabenko, E. A. See Blum, G. Z., 1383

Sahoo, K. C. See Nayak, P., 1349
Sailaja, R. R. N.
—; Chanda, M.: Use of Maleic Anhydride-Grafted Polyethylene as Compatibilizer for HDPE–Tapioca Starch Blends: Effects on Mechanical Properties, 863
Sakran, M. A. See Kenawy, E.-R., 415
Sangeetha, D. See Kothandaraman, H., 995
Sano, T. See Kubota, N., 798
Sarkar, B. K. See Ray, D., 1013
Sarmadi, M. See Ma, Y. C., 1120
Sato, S. See Wei, X., 1931
Sato, T.
—; Shibata, H.; Seno, M.: Effect of Sparteine on the Photopolymerization of Methyl and Ethyl Methacrylates with Bis(cyclopentadienyl)titanium Dichloride in a Water–Methanol Mixture, 815
Saujanya, C.
—; Pathak, G.; Radhakrishnan, S.: Polymer Mediated Growth and Morphology in MNA/PMMA Guest/Host Microdispersed Composites, 1547
Sava, I.
—; Bruma, M.; Hamciuc, C.; Hamciuc, E.; Tîmpu, D.; Mercer, F.: Compared Properties of Aromatic Polyisophthalamides Containing 5-(4-Acetoxybenzamido) Pendent Groups, 650
Schiraldi, D. A.
—; Gould, S. A. C.; Occelli, M. L.: Surface of Poly(ethylene terephthalate/isophthalate) Copolyesters Studied by Atomic Force Microscopy, 750
—; See Connor, D. M., 2696
Schmidt, R.
—; Alt, H. G.; Ebenhoch, J.: Different Surface-Substituted Polyorganosiloxane Microgels as Support Materials for MAO-Type Cocatalysts, 281
—; Alt, H. G.; Ebenhoch, J.: Heterogeneous Polymerization of Ethene with Metallocene Catalysts. A Comparison of Poly(organosiloxane) Microgels and Silica as Support Materials for MAO-Type Cocatalysts, 613
Schmitt, S. See Zhang, M. Q., 2218
Schué, F. See Carlotti, S. J., 142
Schut, H. See Mohsen, M., 969
Scotti, E. See Arai, T., 297
Ščudla, J. See Raab, M., 214
Seçkin, T.
—; Özdemir, I.; Çetinkaya, B.: Hydrolysis, Polycondensation, and Catalytic Properties of Ru(II) Complex of 3-4,5-Dihydroimidazol-1-yl-propyltriethoxysilane, 1329
Seferis, J. C. See Tillman, M. S., 1643
Seno, M. See Sato, T., 815
Sens, M. See Barra, G. M. O., 556; Leyva, M. E., 626

Sergeeva, L. M. See Karabanova, L. V., 852
Sessa, D. J. See Cao, X., 1737
Seytre, G. See Karabanova, L. V., 852
Seyvet, O.
—; Navard, P.: *In Situ* Study of the Dynamics of Erosion of Carbon Black Agglomerates, 1627
Sha, W.
—; Crystallization and Nematic–Isotropic Transition Activation Energies Measured Using the Kissinger Method, 2535
Shamahin, S. V. See Siling, S. A., 398
Shan, L.
—; Robertson, C. G.; Verghese, K. N. E.; Burts, E.; Riffle, J. S.; Ward, T. C.; Reifsnider, K. L.: Influence of Vinyl Ester/Styrene Network Structure on Thermal and Mechanical Behavior, 917
Shani, A. See Shevachman, M., 763
Shaov, A. H. See Ozden, S., 2113
Shen, J. See Guan, J., 634
Shevachman, M.
—; Belfer, S.; Binman, S.; Shani, A.: Application of Jojoba Wax Bound to Polyethylene Membranes and Hollow Fibers in Ion-Exchange and Pervaporation Processes, 763
Shi, D. See Huang, H., 2538
Shi, W. See Wei, H., 51
Shi, W.-F. See Huang, H., 499
Shi, Y.
—; Jabarin, S. A.: Transesterification Reaction Kinetics of Poly(ethylene terephthalate/Poly(ethylene 2,6-naphthalate) Blends, 2422
Shiao, S. J.
—; Fu, W. S.: Polymer-Based Self-Lubricating Material, 1514
Shibata, H. See Sato, T., 815
Shibata, M.
—; Fang, Z.; Yosomiya, R.: Miscibility and Crystallization Behavior of Poly(ether ether ketone ketone)/Poly(ether imide) Blends, 769
Shih, J.-C. See Liu, J.-H., 328
Shim, Y.-H. See Jeong, Y.-I., 2228
Shin, Y.
—; Yoo, D. I.; Jang, J.: Molecular Weight Effect on Antimicrobial Activity of Chitosan Treated Cotton Fabrics, 2495
Shirahama, H.
—; Kawaguchi, Y.; Aludin, M. S.; Yasuda, H.: Synthesis and Enzymatic Degradation of High Molecular Weight Aliphatic Polyesters, 340
Shonaike, G. O.
—; Sugahara, T.; Murakami, A.: Ionomer. I. The Effect of Woven Glass Mat Reinforcement on Tensile Properties, 1395
Shuai, X.
—; He, Y.; Na, Y.-H.; Inoue, Y.: Miscibility of Block Copolymers of Poly(ε-caprolactone) and Poly(ethylene glycol) with Poly(3-hydroxybutyrate) as Well as the Compatibilizing Effect of These Copolymers in Blends of Poly(ε-caprolactone) and Poly(3-hydroxybutyrate), 2600
Siling, S. A.
—; Shamahin, S. V.; Ronova, I. A.; Kovalevski, A. Y.; Grachev, A. B.; Tsiganova, I. Y.; Yuzhakov, V. I.: Poly(Schiff's Bases)–Bifluorophores: Synthesis, Photophysical Properties, Nonradiational Transfer of Energy of Electronic Excitation, 398
Silva Spinacé, M. A.
—; De Paoli, M. A.: Characterization of Poly(ethylene terephtalate) after Multiple Processing Cycles, 20
Sirisinha, C.
—; Sittichokchuchai, W.: Influence of Some Additives on State-of-Mix, Rheological, Tensile, and Dynamic Mechanical Properties in SBR Compounds, 2474
Sittichokchuchai, W. See Sirisinha, C., 2474
Smith, D. F. See Kioussis, D. R., 2073
Soares, B. G. See Barra, G. M. O., 556; Leyva, M. E., 626
Soares, J. B. P. See Beigzadeh, D., 2200
Solaro, R. See Fernandes, E. G., 2889
Sombatsompop, N. See Wimolmala, E., 2523
Song, H. See Frisch, H. L., 893
Song, K. H. See Woo, B.-G., 1253
Song, R. See Xu, J., 1229
Soriano-Corral, F. See Gonzalez-De Los Santos, E. A., 2483
Spano, W. See Mathiowitz, E., 317
Sreenivasan, K.
—; The Use of Metal-Containing Monomer in the Preparation of Molecularly Imprinted Polymer to Increase the Adsorption Capacity, 2795
Srinivasan, N. See Juang, Y.-J., 521
Sriramulu, A. A. See Kothandaraman, H., 995
Srivastava, A. K. See Bajpai, R., 2774
Stael, G. C. See Tavares, M. I. B., 2120
Starostina, I. A.
—; Stoyanov, O. V.; Bogdanova, S. A.; Deberdeev, R. J.; Kurnosov, V. V. ; Zaikov, G. E.: Studies on the Surface Properties and the Adhesion to Metal of Polyethylene Coatings Modified with Primary Aromatic Amines, 388
Stephan, M. See Kelnar, I., 2273
Stewart, F. F.
—; Harrup, M. K.; Luther, T. A.; Orme, C. J.; Lash, R. P.: Formation of Pervaporation Membranes from Polyphosphazenes Having Hydrophilic and Hydrophobic Pendant Groups: Synthesis and Characterization, 422
—; Luther, T. A.; Harrup, M. K.; Lash, R. P.: Reactions and Polymerization of Hexa- 3-*tert*-butyl-4-hydroxyphenoxy}-cyclotriphosphazene: A New Method for the Preparation of Soluble Cyclomatrix Phosphazene Polymers, 242
Stier, U.
—; Gähr, F.; Oppermann, W.: Kinetics of Transesterification of Dimethyl 2,6-

naphthalenedicarboxylate with 1,3-Propanediol, 2039
Stoyanov, O. V. See Starostina, I. A., 388
Su, Z.
—; Li, Y.; Miao, Y.; Wang, T.; Pu, Q.: Preparation and Characterization of Macroporous Phenol-Furfural Sulfonic Acid Resin Catalyst, 1764
Sue, H.-J. See Fainleib, A., 580
Sugahara, T. See Shonaike, G. O., 1395
Suh, K.-D. See Lee, S.-S., 1206
Sumita, M. See Wu, G., 1062
Sun, G. See Sun, Y., 2460
Sun, Y.
—; Sun, G.: Novel Regenerable N-Halamine Polymeric Biocides. I. Synthesis, Characterization, and Antibacterial Activity of Hydantoin-Containing Polymers, 2460
Swallowe, G. M. See Fernandez, J. O., 2031
Swift, G. See Qin, S.-H., 2566

Tadros, R. M.
—; Noureddini, H.; Timm, D. C.: Michaelis–Menten Kinetics for Enzymatic Depolymerization of a Linear Polyester Synthesized from Z-Protected Glutamic Acid, 514
Taguchi, Y.
—; Tanaka, M.: Preparation of Microcapsules Composed of Waste-Expanded Polystyrene and Paper Fiber by Semichemical Recycle, 2662
Tai, C. M.
—; Li, R. K. Y.: Mechanical Properties of Flame Retardant Filled Polypropylene Composites, 2718
Takagishi, T. See Haga, T., 1675
Takahara, M. See Kojima, Y., 1046
Takahashi, H. See Kojima, Y., 1046; Wei, X., 1931
Takarada, W.
—; Ito, H.; Kikutani, T.; Okui, N.: Studies on High-Speed Melt Spinning of Noncircular Cross Section Fibers. I. Structural Analysis of As-Spun Fibers, 1575
—; Ito, H.; Kikutani, T.; Okui, N.: Studies on the High-Speed Melt Spinning of Noncircular Cross-section Fibers (II): On-line Measurement of the Spin Line, Including Change in Cross-sectional Shape, 1582
—; Ito, H.; Kikutani, T.; Okui, N.: Studies on High-Speed Melt Spinning of Noncircular Cross-section Fibers. III. Modeling of Melt Spinning Process Incorporating Change of Cross-sectional Shape, 1589
Talanova, G. G.
—; Zhong, L.; Kravchenko, O. V.; Yatsimirskii, K. B.; Bartsch, R. A.: Noble Metal Ion Sorption by Pyridyl and Bipyridyl Group-Containing Chelating Polymers, 207
Tan, B.-Y. See Gan, S.-N., 2309
Tan, H. H.
—; Neoh, K. G.; Liu, F. T.; Kocherginsky, N.; Kang, E. T.: Crosslinking and Its Effects on Polyaniline Films, 1
Tan, K. L. See Lim, V. W. L., 716
Tanaka, H. See Wu, Z., 2185; Zhang, X., 334
Tanaka, M. See Taguchi, Y., 2662
Tang, J. See Li, F., 1446
Tang, X. See Li, F., 1446
Tang, X-Z. See Yang, B., 2502
Tanigami, T. See Agawa, K., 467
Tanyolaç, D.
—; Özdural, A. R.: BSA Adsorption onto Magnetic Polyvinylbutyral Microbeads, 707
Tao, J. See Li, T., 2394
Tatehata, H.
—; Fukuoka, T.; Mochizuki, A.: Synthesis and Characterization of Poly(hydroxyether). II. Poly(hydroxyethers) Based on Various Bisphenols and 2,2-Bis(4-hydroxypheny)hexafluoro-propane, 1697
—; See Fukuoka, T., 1687
Tatsumoto, N. See Kubota, N., 798
Tavares, M. I. B.
—; Stael, G. C.; Gorelova, M. M.; de Menezes, S. M. C.: Solid-State NMR and XPS Studies of EVA/Sugarcane Composites (Note), 2120
Taverdet, J.-L. See Fugit, J.-L., 1841
Thamizharasi, S.
—; Reddy, B. S. R.: Copolymerization of N-Substituted Maleimide with Alkyl Acrylate and Its Industrial Applications, 1870
Tian, G.-H. See Yang, B., 2502
Tian, N. See Liu, X., 2790
Tillman, M. S.
—; Hayes, B. S.; Seferis, J. C.: Analysis of Polymeric Composite Interphase Regions With Thermal Atomic Force Microscopy, 1643
Timm, D. C. See Tadros, R. M., 514
Tîmpu, D. See Sava, I., 650
Tjong, S. C. See Xie, X. L., 2105
Tokai, M. See Konagaya, S., 505
Tokiwa, Y. See Raku, T., 384
Torkelson, J. M. See Ganglani, M., 671
Torres, A. See Nogueira, P., 71
Toscani, F. See Abbondanza, L., 377
Triantafillidis, D. See Müller, B., 475
Trotta, F.
—; Drioli, E.; Gordano, A.: Nitro Derivatives of PEEK-WC, 1037
Trumbo, D. L.
—; Mote, B. E.: Synthesis of Tung Oil–Diacrylate Copolymers via the Diels-Alder Reaction and Properties of Films from the Copolymers, 2369
—; Mote, B. E.; Rasoul, H. A. A.: Synthesis of Copolymers of a Linoleic Acid Derivative and Properties of the Copolymer Films, 261
Tsenoglou, C.
—; Kartalis, C. N.; Papaspyrides, C. D.; Pfaendner, R.: Modeling the Role of Stabilizing Additives During Melt Recycling of High-Density Polyethylene, 2207
Tsiganova, I. Y. See Siling, S. A., 398
Tsubokawa, N. See Okazaki, M., 573

Tsuji, H.
—; Ishizaka, T.: Porous Biodegradable Polyesters. II. Physical Properties, Morphology, and Enzymatic and Alkaline Hydrolysis of Porous Poly(ϵ-caprolactone) Films, 2281
Tsukada, M. See Arai, T., 297

Uhrich, K. E. See Bedell, C., 32
Um, I. C. See Kweon, H., 928
Üner, D. O. See Gercel, B. O., 806

Valdéz, J. See Jasso, C. F., 1343
Vallejo, F. J.
—; Eguiazábal, J. I.; Nazábal, J.: Solid State Features and Mechanical Properties of PEI/PBT Blends, 885
van Duin, M. See Machado, A. V., 1535
van Es, J. J. G. S. See Geurts, J. M., 1401
van Graefschepe, M. A. I. See Geurts, J. M., 1401
van Veen, A. See Mohsen, M., 969
Varlet, J. See Won, J. C., 1021
Vatalis, A. S.
—; Kanapitsas, A.; Delides, C. G.; Viras, K.; Pissis, P.: Phase Behavior and Molecular Mobility in Polyurethane/Styrene–Acrylonitrile Blends, 1071
Verghese, K. N. E. See Shan, L., 917
Vergnes, B. See Berzin, F., 1243
Villegas, S. See Rivas, B. L., 2123
Viras, K. See Vatalis, A. S., 1071
Vittoria, V. See Gorrasi, G., 539
Vorobieva, E. V. See Lin, D. G., 2047
Vorster, O. See Halász, L., 898
Vu, D. Q. See Djoekita, G., 311

Wakida, T. See Lee, M., 1058
Walet, M. See Machado, A. V., 1535
Wan, Q. See Agawa, K., 467
Wan, Y. Z.
—; Wang, Y. L.; Li, Q. Y.; Dong, X. H.: Influence of Surface Treatment of Carbon Fibers on Interfacial Adhesion Strength and Mechanical Properties of PLA-Based Composites, 367
Wang, D. See Li, F., 1446
Wang, F.-Y.
—; Ma, C.-C. M.; Wu, W.-J.: Kinetic Parameters of Thermal Degradation of Polyethylene Glycol-Toughened Novolac-Type Phenolic Resin, 188
Wang, G. See Li, Y., 348
Wang, H. See Hu, J., 2335; Meng, L.-Z., 58
Wang, H. C. See Jayaraman, M., 680
Wang, H.-H.
—; Synthesis of Nylon 6,6 Copolymers with Aromatic Polyamide Structure, 2167
Wang, J. See Li, F., 1446
Wang, J. D. See Conway, S. E., 1155
Wang, L. See He, X., 1571; Yang, B., 2502
Wang, L.-J. See Yang, Z.-Z., 1835
Wang, Q.
—; Xia, H.; Zhang, C.: Preparation of Polymer/Inorganic Nanoparticles Composites Through Ultrasonic Irradiation, 1478
—; See Xia, H., 1130
Wang, S. See Hao, J. H., 1650
Wang, T. See Su, Z., 1764
Wang, X. See Wu, Q., 2154
Wang, Y. See Huang, H., 2538
Wang, Y. L. See Wan, Y. Z., 367
Ward, T. C. See Shan, L., 917
Watanabe, H. See Ito, T., 2376
Waterlot, C.
—; Couturier, D.; Hasiak, B.: Synthesis of New Electron Transfer Polymers for the Reduction of Dissolved Oxygen in Water, 223
Wei, H.
—; Lu, Y.; Shi, W.; Yuan, H.; Chen, Y.: UV Curing Behavior of Methacrylated Hyperbranched Poly(amine-ester)s, 51
Wei, X.
—; Takahashi, H.; Sato, S.; Nomura, M.: Continuous Emulsion Polymerization of Styrene in a Single Couette–Taylor Vortex Flow Reactor, 1931
Welland, R. W. A. See Geurts, J. M., 1401
Wen, T.-C.
—; Chen, H.-H.: Soft Segmental Effect of Methylene Bis(*p*-cyclohexyl isocyanate) Based Thermoplastic Polyurethane Impregnated with Lithium Perchlorate/Propylene Carbonate on Ionic Conductivity, 935
—; See Digar, M., 1319
Wester, G. A. See Bouma, K., 1173
Westmoreland, D. G. See Qin, S.-H., 2566
Wetzel, B. See Zhang, M. Q., 2218
White, C. See Godshall, D., 130
Wilkes, G. L. See Godshall, D., 130
Wilkie, J. S. See Chaouk, H., 1756
Willett, J. L. See Cao, X., 1737
Wimolmala, E.
—; Wootthikanokkhan, J.; Sombatsompop, N.: Effects of Composition and Temperature on Extrudate Characteristics, Morphology, and Tensile Properties of Acrylic Rubber-Blended PVC, 2523
Wódzki, R.
—; Nowaczyk, J.: Membrane Transport of Organics. III. Permeation of Some Carboxylic Acids Through Bipolar Polymer Membrane, 2705
Wolcott, M. P. See Rials, T. G., 546
Wolf, W. J. See Cao, X., 1737
Won, J. C.
—; Fulchiron, R.; Douillard, A.; Chabert, B.; Varlet, J.; Chomier, D.: Effect of the Pressure on the Crystallization Behavior of Polyamide 66, 1021
Wong, B. C. See Juang, Y.-J., 521
Woo, B.-G.
—; Choi, K. Y.; Song, K. H.; Lee, S. H.: Melt Polymerization of Bisphenol-A and Diphenyl Carbonate in a Semibatch Reactor, 1253
Wootthikanokkhan, J. See Wimolmala, E., 2523
Wu, C.
—; Effects of a Hindered Phenol Compound on the Dynamic Mechanical Properties of Chlorinated Polyethylene, Acrylic Rubber, and Their Blend, 2468
Wu, D. See Hu, Z., 1770

Wu, G.
—; Zhang, C.; Miura, T.; Asai, S.; Sumita, M.: Electrical Characteristics of Fluorinated Carbon Black-Filled Poly(vinylidene fluoride) Composites, 1062
Wu, J. See Yin, W., 1368
Wu, J.-P. See Park, H.-S., 2316
Wu, J. Z.
—; Kang, E. T.; Neoh, K. G.; Wu, P.-L.; Liaw, D. J.: Surface Modification of Low-Density Polyethylene Films by UV-Induced Graft Copolymerization with a Fluorescent Monomer, 1526
Wu, L.
—; Li, D.; You, B.; Qian, F.: Change in Mechanical Properties, Composition, and Structure of Hydrated Polyurethaneurea, 252
—; See Hu, Z., 1770
Wu, P.-L. See Wu, J. Z., 1526
Wu, Q.
—; Wang, X.; Gao, W.; Hu, Y.; Qi, Z.: Unusual Rheological Behaviors of Linear PE and PE/Kaolin Composite, 2154
—; Xu, J.; Yu, Y.: Novel Dibutyltin Oxide-Tributyl Phosphate Condensate as Accelerator for the Curing of the Epoxy Resin/4,4′-Diamino Diphenyl Sulfone System. II. Toughening of the Resin with Hydroxyl-Terminated Poly(tetramethylene) Glycols, 1237
—; See Xu, J., 1229
Wu, R. J. See Xiao, Y., 2162
Wu, S. See Qin, S.-H., 2566
Wu, W.-J. See Wang, F.-Y., 188
Wu, Y.
—; Feng, S.: Viscosity–Molecular Weight Relationship for Aminopropyl-Terminated Poly(dimethylsiloxane), 975
—; Feng, S.; Bei, Y.; Liu, P.: Preparation of Aminopropyl Polysiloxane-Based Heat-Curable Silicone Rubber, 2341
Wu, Z.
—; Chen, S.; Tanaka, H.: Function Mechanisms of Polyamines in Rosin Sizing under Neutral Papermaking Conditions, 2185
Xanthos, M. See Bayram, G., 790
Xia, H.
—; Zhang, C.; Wang, Q.: Study on Ultrasonic Induced Encapsulating Emulsion Polymerization in the Presence of Nanoparticles, 1130
—; See Wang, Q., 1478
Xiao, C.
—; Lu, Y.; Liu, H.; Zhang, L.: Preparation and Characterization of Konjac Glucomannan and Sodium Carboxymethylcellulose Blend Films, 26
Xiao, L.
—; Xiao, W.; Liu, Q.; Chen, K.; Xu, X.: Studies on Fibers Spun from Poly(vinyl alcohol-*b*-acrylonitrile) Emulsions Prepared by Ultrasonic Technique. I. Characterization of Fiber Structure, 979
—; See Xiao, W., 989
Xiao, Q.
—; Yan, S.; Rogausch, K. D.; Petermann, J.; Huang, Y.: Ring-Banded Spherulites in Poly(ϵ-caprolactone) Blended with Hydroxyethyl Cellulose Acetate as an Indication for Partial Miscibility, 1681
Xiao, W.
—; Xiao, L.; Xu, K.; Chen, K.; Xu, X.: Studies on Fibers Spun from Poly(vinyl alcohol-*b*-acrylonitrile) Emulsions Prepared by Ultrasonic Technique. II. Properties of the Fibers, 989
—; See Xiao, L., 979
Xiao, Y.
—; Hu, K. A.; Yu, Q. C.; Wu, R. J.: Preparation of Polyethylene Oxide/$Li_xV_{2-\delta}O_{4-\delta}$ Nanocomposites, 2162
Xie, H.-Q.
—; Guo, J.-S.; Yu, G.-Q.; Zu, J.: Ring-Opening Polymerization of Epichlorohydrin and Its Copolymerization With Other Alkylene Oxides by Quaternary Catalyst System, 2446
—; Liu, Y.: Synthesis, Characterization, and Properties of Amphiphilic Poly(ethyl acrylate) with Uniform Polyoxyethylene Grafts, 903
Xie, R.
—; Qu, B.: Expandable Graphite Systems for Halogen-Free Flame-Retarding of Polyolefins. I. Flammability Characterization and Synergistic Effect, 1181
—; Qu, B.: Expandable Graphite Systems for Halogen-Free Flame-Retarding of Polyolefins. II. Structures of Intumescent Char and Flame-Retardant Mechanism, 1190
Xie, T. See Li, F., 1446
Xie, W.
—; Xu, P.; Liu, Q.; Xie, Y.: Ionic Conductivity of a Novel Solid Polymer Electrolyte, 2176
Xie, X. L.
—; Li, B. G.; Pan, Z. R.; Li, R. K. Y.; Tjong, S. C.: Effect of Talc/MMA *In Situ* Polymerization on Mechanical Properties of PVC-Matrix Composites, 2105
Xie, Y. See Xie, W., 2176
Xu, H.
—; Dielectric Properties and Ferroelectric Behavior of Poly(vinylidene fluoride-trifluoroethylene) 50/50 Copolymer Ultrathin Films, 2259
Xu, J.
—; Song, R.; Wu, Q.; Yu, Y.: Novel Dibutyltin Oxide–Tributyl Phosphate Condensate as Accelerator for the Curing of the Epoxy Resin/4,4′-Diamino Diphenyl Sulfone System. I. Chemical Reactions and Properties of the Cured Resin, 1229
—; See Wu, Q., 1237; Xu, X., 123
Xu, K. See Xiao, W., 989
Xu, P. See Xie, W., 2176
Xu, W.
—; He, P.: Isothermal Crystallization Behavior of Polyoxymethylene with and without Nucleating Agents, 304
Xu, X.
—; Xu, J.; Chen, L.; Liu, R.; Feng, L.: Nonisothermal Crystallization Kinetics of

Ethylene–Butene Copolymer/Low-Density Polyethylene Blends, 123
—; See Li, H., 2140; Xiao, L., 979; Xiao, W., 989
Xu, Z. G.
—; Chakravarti, S.; Ray, W. H.: Kinetic Study of Olefin Polymerization with a Supported Metallocene Catalyst. I. Ethylene/Propylene Copolymerization in Gas Phase, 81
Xue, Q.-J. See Zhang, Z.-Z., 1891
Xue, Y. See Chang, L.-C., 10

Yabuki, K. See Kitagawa, T., 1030
Yahia Abed, M.
—; Hindia, T. A.; Mohamed, M. G.; Mazrouaa, A. M.: Study on Electrical Conductivity of 2-Vinylpyridine-Methyl Methacrylate Copolymer in Presence of Cobalt Acetate, 2145
Yamaguchi, Y. See Ito, T., 2376
Yamamoto, T.
—; Furukawa, H.: Relationship between Molecular Structure and Zero-Shear Viscosity of Polymers, 1609
Yamaura, K. See Agawa, K., 467
Yan, D. See Li, Y., 348
Yan, H. See Ma, X., 2518
Yan, S. See Xiao, Q., 1681
Yang, B.
—; Zeng, L.-X.; Wang, L.; Tang, X-Z.; Tian, G.-H.; Zhang, B.: Effect of Hard Segment and Concentration of $NaClO_4$ on Poly(ethylene oxide)–Urethane/$NaClO_4$ Complex, 2502
—; See Chen, J., 1983
Yang, C. See Zheng, J., 1299
Yang, J. See Huang, H., 2538
Yang, M. See Li, Z., 2245
Yang, W. See Guan, J., 634
Yang, W.-T. See Deng, J.-P., 1426
Yang, Y.-Y. See Bai, X.-L., 1630
Yang, Z.-Z.
—; Wang, L.-J.; Liu, Z.-P.; Zhao, D.-L.: Film Formation of Monodispersed Polystyrene Latex at High Temperature, 1835
Yao, Z. See Huang, H., 2538
Yaroshenko, A. M. See Blum, G. Z., 1383
Yasuda, H. See Kawaguchi, Y., 432; Shirahama, H., 340
Yasuda, Y. See Okamatsu, T., 1920
Yatsimirskii, K. B. See Talanova, G. G., 207
Yen, M.-S.
—; Application of Chitosan/Nonionic Surfactant Mixture in Reactive Dyes for Dyeing Wool Fabrics, 2859
Yeo, J. H. See Kweon, H. Y., 1848
Yilmazer, U. See Bayram, G., 790
Yin, J. See Huang, H., 2538
Yin, W.
—; Ruckenstein, E.; Li, J.; Li, Y.; Wu, J.; Gu, T.: Conducting Composite Film Based on Polypyrrole and Crosslinked Cellulose, 1368
Yoo, D. I. See Shin, Y., 2495
Yoo, E. S. See Myung, H. S., 2640
Yoo, S. W. See Lyoo, W. S., 1003
Yoon, B.-S. See Park, H.-S., 2316
Yoon, H. J. See Kim, K. M., 618
Yoon, J.-S. See Park, E.-S., 728
Yoon, K. J. See Lee, M. H., 438
Yoon, T.-H.
—; McGrath, J. E.: Curing and Toughening of a Styrene-Modified Epoxy Resin, 1504
Yoon, T. H. See Jeong, K. U., 1198
Yoon, W. J. See Myung, H. S., 2640
Yosomiya, R. See Shibata, M., 769
You, B. See Wu, L., 252
You, X.
—; Dimonie, V. L.; Klein, A.: Nonaqueous Emulsion Copolymerization in Propylene Glycol of Ethyl Methacrylate/Lauryl Methacrylate. I. Evaluation of Stabilizing Efficiency for PEO-PS-PEO Triblock Copolymers, 1951
—; Dimonie, V. L.; Klein, A.: Nonaqueous Emulsion Copolymerization of Ethyl Methacrylate/Lauryl Methacrylate in Propylene Glycol. II. Adsorption of Poly(ethylene oxide)–Polystyrene–Poly(ethylene oxide) Triblock Copolymer on Latex Particles, 1963
Yu, G. See Hou, Y. H., 1267
Yu, G.-Q. See Xie, H.-Q., 2446
Yu, J. See Zheng, H., 2558
Yu, L. See Hao, J. H., 1658
Yu, P. H. See Li, S.-D., 2237
Yu, Q. C. See Xiao, Y., 2162
Yu, X. See Fang, J., 1434
Yu, Y. See Wu, Q., 1237; Xu, J., 1229
Yuan, H. See Wei, H., 51
Yuan, Q. See Kan, C. Y., 2251
Yuan, Z. See Liu, L., 1976
Yue, C. Y. See Hu, X., 2437
Yuzhakov, V. I. See Siling, S. A., 398

Zadrożna, I.
—; Mysłek, M.: Novel Optical Material: Polyarylates with Azomethine Side-Chain Groups, 1374
Zaharescu, T.
—; Jipa, S.; Mihalcea, I.: Kinetic Effects of Selenium on Degradation of Ethylene–Propylene Copolymer, 2053
Zaikov, G. See Horák, D., 913
Zaikov, G. E. See Blum, G. Z., 1383; Gaponova, I. S., 407; Starostina, I. A., 388
Zaikov, V. G. See Blum, G. Z., 1383
Zeng, H. See Mai, K., 2609, 2617
Zeng, H. M. See Hou, Y. H., 1267; Zhang, M. Q., 2218
Zeng, L.-X. See Yang, B., 2502
Zhang, B. See Hu, J., 2335; Yang, B., 2502
Zhang, C. See Wang, Q., 1478; Wu, G., 1062; Xia, H., 1130
Zhang, J. See Matuana, L. M., 1943
Zhang, J.-Z. See Huang, H., 499
Zhang, L.
—; Huang, J.: Effects of Nitrolignin on Mechanical Properties of Polyurethane–Nitrolignin Films, 1213
—; See Xiao, C., 26; Zheng, H., 2558
Zhang, M. See Li, Z., 2245
Zhang, M. Q.
—; Rong, M. Z.; Zeng, H. M.; Schmitt, S.; Wetzel, B.; Friedrich, K.: Atomic Force Microscopy Study on Structure and Properties of Irradiation Grafted Silica Particles in

Polypropylene-Based Nanocomposites, 2218
—; See Hou, Y. H., 1267
Zhang, X.
—; Tanaka, H.: Copolymerization of Glycidyl Methacrylate with Styrene and Applications of the Copolymer as Paper-Strength Additive, 334
—; See Lian, Y., 2823
Zhang, Y. See Lian, Y., 2823
Zhang, Z.
—; Luo, X.; Lu, Y.; Ma, D.: Transesterifications of Poly(bisphenol A carbonate) With Aromatic and Aliphatic Segments in Ethylene Terephthalate–Caprolactone Copolyester, 1558
Zhang, Z.-Z.
—; Liu, W.-M.; Xue, Q.-J.: Effects of Various Kinds of Fillers on the Tribological Behavior of Polytetrafluoroethylene Composites Under Dry and Oil-Lubricated Conditions, 1891
Zhao, C. See Pizzi, A., 2128
Zhao, D.-L. See Yang, Z.-Z., 1835
Zheng, H.
—; Du, Y.; Yu, J.; Huang, R.; Zhang, L.: Preparation and Characterization of Chitosan/Poly(vinyl alcohol) Blend Fibers, 2558
Zheng, J.
—; He, G.; Yang, C.; Huang, L.; Li, Y.: Synthesis and Properties of Alkyl-Substituted Poly(1,4-phenylenevinylene) Derivatives, 1299
Zheng, M. See Li, H., 2140
Zhong, L. See Talanova, G. G., 207
Zhou, A. See Hu, J., 2335
Zhou, Z.
—; Liu, S.; Gu, L.: Studies on the Strength and Wear Resistance of Tetrapod-Shaped ZnO Whisker–Reinforced Rubber Composites, 1520
Zhu, H.
—; Mizugaki, T.; Ebitani, K.; Kaneda, K.: Dimethylaminoethylated Hydroxypropyl-Chitosan: Preparation and Application as Polymeric Ligand to Form Rh_6 Cluster Complexes for the Reduction of Benzaldehyde and Nitrobenzene, 447
Zhu, K. J. See Jiang, H. L., 1416
Zu, J. See Xie, H.-Q., 2446
Zubitur, M.
—; Asua, J. M.: Agitation Effects in the Semicontinuous Emulsion Polymerization of Styrene and Butyl Acrylate, 841

Journal of Applied Polymer Science

Subject Index—Volume 80

Absorption, 707
Acetylation, 2018
Acid–base interaction, 388
Acrylamide, 798, 2635
Acrylamide gels, 1898
2-Acrylamido 2-methylpropane sulfonic acid, 2267
Acrylamidomethyl cyclodextrin, 438
Acrylate, 159
Acrylates, 1870
Acrylic acid, 798, 1914, 2267, 2690
Acrylic rubber, 2468, 2523
Acrylonitrile–butadiene–styrene copolymer, 2593
Activation energies, 776
Activation energy, 2535
Acylation, 297
Addition cure, 1664
Addition-cure phenolics, 737
Adhesion, 716, 1198, 1920, 2877
Adhesion strength of coating, 2047
Adhesive, 1870
Adhesive force, 274
Adhesive joints, 1140
Adhesive property, 432
Adhesive wear, 2394
ADMVN, 1003
Adsorption, 58, 1963
Adsorption characterization, 2851
Affinity of Congo Red, 1675
AFM, 750
Agitation, 841
Agrochemicals, 415
Alcohol, 1650
Alder-ene reaction, 737
Alkali treatment, 1013
Alkyd-melamine enamel, 2309
Alkylation, 1802
Alkyl-poly(1,4-phenylenevinylene), 1299
Allyl-functional phenolics, 737
4-Allyloxybenzoyl-4-(*S*-2-ethylhexanoyl) *p*-benzenediol bisate, 2335
$Al(OH)_3$, 2617
Amination, 2851
Amino groups, 2123
Aminoethyl methacrylate, 1401
Amino-functional latexes, 1401
6-Amino-1-hexyl methacrylate, 1401
5-Amino-1-pentyl methacrylate, 1401
Aminopropyl groups, 975, 2341
Amino-protected glutamic acid, 514
3-Amino-1-propyl methacrylate, 1401
11-Amino-1-undecyl methacrylate, 1401
Ammonium persulfate, 2635
Amorphous polymers, 2383
Amount of catalyst, 956
Amphiphilic graft copolymers, 2191
Amphiphilic polymer, 903
Amylose, 1285
Anionic polymerization, 1951
Anionomer, 566
Anisotropy, 2328
Antibacterial, 2460
Antifungal effect, 728
Antimicrobial activity, 297
Antiozonants, 1566
Aqueous dispersions, 566
Aromatic polyamide, 505
Aromatic polyisophthalamides, 650
Arrhenius equation, 1285
Aspartic acid derivative, 913
Asphalt, 2633
Atomic force microscopy, 2218
Atomic force microscopy (AFM), 1470
Attapulgite, 304
Avrami analysis, 2696
Azeotropic copolymerization, 2024
Aziridine, 806

Bacterial reduction rate, 2495
Beads, 639
Benzocyclobutene, 2328
Benzophenone, 1426
β chitin, 2624
β-cyclodextrin, 438
Biaxial orientation, 2400
Bicomponent fiber, 130
Biodegradable, 1976
Biodegradable blends, 2600
Biodegradable polyethylene, 863
Biodegradation, 514
Bipolar, 2705
Bipolar membrane, 1658
Birefringence, 1575
Bis(diisopropyl)thiophosphoryl tetrasulfide, 1725
Bis(diisopropyl)thiophosphoryl trisulfide, 1725
Bis-2-hydroxyethyl terephthalate, 943
Bismaleimide, 2437
Bismaleimidodiphenol methane, 2245
Blend, 123, 539, 1681, 2523, 2545, 2573, 2823
Blend fibers, 2558
Blend film, 928
Blend films, 26
Blend modification, 634
Blends, 626, 831, 949, 1071, 1085, 2583, 2647, 2889
Block copolymer, 2347, 2483
Blood compatibility, 1274
Bond promoter, 806
Bovine serum albumin, 707, 1630
Branched polycarbonate, 1814
Branched structure, 1388
Branching, 671, 2207
Brill transition, 1021
Bromination, 680
Bush type, 1514
Butyl acrylate, 841

^{13}C solid-state NMR, 2376
$C_2H_2F_4$, 2084
C_{36}-diol, 2676
Calcium carbonate, 2140
Calix [4]arene, 58
Capillary rheometry, 1150
Capillary water, 1030
Carbazole, 1446
Carbendazim, 728
Carbon black, 692, 1062, 1267, 1627, 2093
Carbon fiber, 367
Carboxylic acids, 2705
Carboxymethylation, 334
Carrier gases, 1434
Castor oil-based polyurethanes (PUs), 1349
Catalysis, 1764
Catalyst, 1229, 2446

Cation exchange resin, 1764
Cationic copolymerization, 658
Cation-selective membranes, 618
Cellulase, 1675
Cellulose, 1452, 2267
Cellulose acetate, 1650
Chain architecture, 1737
Chain branching, 790
Chain extension, 340, 580
Channeling agent, 317
Characterization, 1085, 1687, 1697
Charged mosaic membrane, 2002
$CHClF_2$, 1155
Chelating polymers, 207
Chelating resin, 2123
Chemical conversion, 1535
Chemical shift tensor, 2376
Chemorheology, 873
CHF_3, 1155
Chiral, 2335
Chitosan, 447, 639, 928, 1274, 2495, 2558, 2859
Chitosan/dichloroacetic acid solution, 1770
Chlorinated polyethylene, 2468
Chlorine resistance, 505
Cholesteric, 1770
Cholesterol, 2795
Clonazepam, 2228
Cloud point data, 1155
^{13}C-NMR, 1880
CO_2, 1155
Coating, 1198
Cobalt acetate, 943, 2145
Co-continuity, 831
Cocuring, 963
Codiols, 2676
Cold compression molding, 377
Comonomer, 1206
Compatibilization, 790
Compatibilizer, 2347, 2593, 2600, 2823
Complexes, 1489
Composite, 546, 806, 1162, 1891, 2154
Composite electrolyte, 1319
Composite membrane, 1854
Composite propellant, 65
Composites, 367, 1395, 1547, 1643
Composites materials, 1601
Compounding, 2361
Condensate of dibutyltin oxide and tributyl phosphate, 1229
Condensation polymerization, 58
Conducting composite, 1368, 1571
Conductive composite, 893
Conductive polymer composites, 1062, 1267
Cone calorimeter test, 1181
Conifer fiber, 2833
Constrained-layer damping, 2865
Contact angle, 1687, 1697, 1943
Continuous emulsion polymerization, 1931
Continuous reactor, 1931
Controllable, 1489
Controlled release, 639
Controlled release formulations, 415
Cooperativity, 917
Copolymer, 334, 1243, 2877
Copolymerization, 384, 1220
Copolymers, 261, 2369, 2676, 2696
Copper and brass pigments, 475
Copper powder, 2047
Core/shell latex particle, 2251
Core-shell particles, 2752
Correlation with temperature, 1566
Corrosion, 286
Corrosion inhibition, 475
Costabilizer, 1206
Cotton fabric, 2495
Cotton fiber, 438, 1675
Coupling agent, 1725
Cp_2TiCl_2, 815
Critical substitution value, 2624
Crosslink density, 580, 917
Crosslink network, 1213
Crosslinked cellulose, 1368
Crosslinked polyurethanes, 1071
Crosslinking, 1, 328, 639, 963, 1785
Crosslinking reaction, 634
Crotonic acid, 2690
CRYSTAF, 2200
Crystalline structure, 2376, 2624
Crystallinity, 377, 1349, 1675, 2031
Crystallite, 1675, 2640
Crystallization, 1021, 1547, 1575, 2200, 2535, 2676, 2696
Crystallization behavior, 769, 2609
Crystallization kinetics, 304
Crystals with defects, 467
Curing, 65, 806, 898, 963
Curing agent, 573
Curing agents, 1489
Curing diagrams, 2128
Curing kinetics, 1052
Curing reactions, 2309
Cyanate ester, 2437
Cyanate esters, 2759
4-Cyclohexylurazole, 1335
Cyclomatrix, 242
Cyclotriphosphazenes, 242
DC glow discharge, 1140
Decrease of pollution, 1841
Deformation behavior, 148
Degradation, 32, 1349, 2207
Degraded PP, 1305
Degree of deacetylation, 2495
DEHP, 1841
Dendrimer, 51
Dendritic polyester, 499
Dendritic polymer, 573
Denier, 1013
Depolymerization, 514
Desiccant, 317
Diallyl bisphenol A, 2245
Diallyl *p*-phenyl diamine, 2245
Dialysis, 47
Dialysis method, 2228
Diamide segment, 1173
4,4′-diamino diphenyl sulfone, 1229
3,5-diaminobenzoic acid, 505
Diaminodiphenylsulfone, 505
Diatomite, 304
Die angle, 1150
Die swell, 1710
Dielectric permittivity, 2328
Dielectric properties, 650
Dielectric property, 2259
Diels-Alder reaction, 2369
Diethyl 2,3-dicyano-2,3-di(*p*-tolyl)succinate (DCDTS), 2566
Differential scanning calorimetry, 1030, 2535
Diffraction, 358, 2300
Diffusion, 1343
Diffusion coefficient, 529
Diffusion permeability, 1383
Dihydroxyacrylate, 1802
Diisocyanate, 806
Dimethylacetamide/lithium chloride solvent system, 2624
Dimethylaminoethylation, 447
Dimethylol propionic acid, 604
Dipole-like microsphere, 2002
Direct polycondensation, 1312
Discoloration, 1943
Disparate reactivity ratio, 1988
Dispersed polymethyl methacrylate (PMMA), 1547
Dispersion, 1627, 2545
Dispersion copolymerization, 1206
Dispersion polymerization, 2191
Dissolved oxygen, 223
Distribution of oxidation products, 2047
DMA analysis, 71
DMSO, 1003

Dodecylbenzenesulfonic acid (DBSA), 556
Doping characteristics, 1
Doping studies, phosphate ester dopants, 1354
Drawing, 467
Drug delivery, 1976
Drying front, 1835
Drying process, 1898
DSC, 671, 1052, 1220, 1687, 1697
Dual-capacitor technique, 2328
Dumbbell-like/egglike microsphere, 2002
Dyeing transition temperature, 1058
Dynamic glass transition, 1071
Dynamic mechanical analysis, 546, 1825
Dynamic mechanical properties, 2474
Dynamic mechanical property, 2468
Dynamic moduli, 2093
Dynamic vulcanizates, 148
Dynamics mechanical spectroscopy, 852

Effective filler volume fraction, 2474
Elastomer, 680, 1746, 2446, 2545
Electrical conductivity, 626, 2145
Electrical property, 181
Electrically conductive, 692
Electrochemical stability, 1319
Electrodeless glow discharge, 1434
Electrodeposition, 2633
Electrodialysis, 1658
Electron cyclotron resonance, 2084
Electron transfer polymers, 223
Electron-beam irradiation, 432
Elemental analysis, 2511
Embedded bearing, 2394
Emulsion polymerization, 841, 1401, 1931
Emulsions, 979, 989, 2633
EnBACO, 2823
EnBACO-*g*-MAH, 2823
Energetic binder, 65
Energy landscape, 2383
Environmentally friendly paint, 286
Enzymatic degradation, 340
Enzymatic hydrolysis, 2281
Enzyme immobilization, 39
EPDM, 1571
EPDM rubber, 2647
Epichlorohydrin, 2446
Epoxy, 1489, 1792
Epoxy microstructure, 71
Epoxy networks, 580
Epoxy oligomers, 1863
Epoxy resin, 181, 573, 728, 1229, 1237, 1504
Epoxy resins, 776, 1920
Epoxy-amine networks, 2058
Equation of state, 197
Equilibrium melting temperature, 1021
Equilibrium water content, 2690
Erosion, 1627
Ester–ester interchange reaction, 2422
Esterification, 142, 1764, 2018
Ethyl acetate, 1988, 2002
2-Ethyl hexyl acrylate, 1792
Ethyl methacrylate, 1951, 1963
Ethylene carbonate, 1776
Ethylene copolymers, 2200
Ethylene glycol, 943
Ethylene terephthalate–caprolactone copolyester, 1558
Ethylene–butene copolymer, 123
Ethylene–propylene copolymer, 2053
Ethylenediamine, 1173
Ethylenediaminetetraacetic dianhydride, 297
Ethylene/1-hexene copolymerization, 1096
Ethylene/propylene copolymerization, 81
Ethylene/propylene/diene terpolymer, 2833
EVA/natural fibers composites, 2120
Expandable graphite, 1181, 1190
Expanded polystyrene, 2662
Extrusion, 1150

Factorial experimental design, 956
Fatigue wear, 2394
Ferroelectricity, 2259
Fiber–matrix adhesion, 1439
Fiber orientation, 1395
Fiber spinning, 130
Fibers, 539, 979, 989, 1914
Fickian diffusion, 71
Filler concentration, 2047
Film formation, 1835
Film thickness, 2047
Finite-element modeling, 1746
Fixed-bed, 2073
Flame resistance, 1198
Flame-retardant coatings, 2316
Flammability, 2718
Flexural modulus, 2593
Flow-induced morphology, 2347
Fluorescence, 398, 1446, 1526, 1863, 1907
Fluorescence microscopy, 949
Fluorescence microspectroscopy, 949
Fluorination, 1062
Fluorocarbon, 2084
Fluoropolymer, 1383
Foam, 1746
Force curve, 2218
Fourier transform infrared spectroscopy, 783
Fractionation, 1880
Fracture morphology, 2617
Fracture toughness, 917, 1237, 1504
Free energy of mixing, 852
Free radical initiator curing, 1504
Free surface energy, 388
Free volume, 529, 1609
Free-radical crosslinking copolymerization (FCC), 823
Friction coefficient, 1514
Frictional material, 2790
FTIR, 1013, 1299, 1943, 2690
FTIR spectroscopy, 148, 1863
FTIR studies, 2309
Function mechanisms, 2185
Functional gradient materials, 686
Functional polymer, 634
Functionalization, 328
Functionalized polypropylene, 2609, 2617
Functionalized surface, 1120

γ-Irradiation, 2053
Gas diffusion barrier, 750
Gas–liquid chromatography, 1291
Gas permeation, 311
Gas phase, 81, 1096
Gas sensors, 2511
Gas sorption and desorption, 969
Gel effect, 686
Gelation, 593, 658, 1907, 2437
Gelation experiments, 823
Gelled electrolyte, 935
Glass fiber, 2877
Glass fiber-reinforced, 484
Glass lamination, 521
Glass transition, 852, 917, 2865
Glass transition temperature, 783, 979
Glass-transition temperature, 1299
Glutaraldehyde, 1785
Glycidyl azide polymer (GAP), 65
Glycidyl methacrylate, 334, 2851
Glycolysis, 943, 1052

Glycolysis conversion, 956
Glycolysis temperature, 956
Glycolysis time, 956
GMA, styrene, 1206
GPC, 671
GPC-MALLS, 1388
Gradient, 1343
Graft copolymer, 798, 903, 1802, 2670
Graft copolymerization, 716, 1526, 1914, 2267, 2690
Grafted rubber, 2647
Grafting, 438, 1914
Graphite, 2394
Group contribution, 197
Group contribution method, 1609
Guest/host system, 1547

Half-life, 1566
Halogen, 2718
Halogen-free flame-retardant, 1181, 1190
Hard-elastic behavior, 214
HDPE, 863
HDPE–starch blends, 863
HDPE-*g*-maleic anhydride, 863
Heat transfer, 2683
Heat treatment, 1267
Heat-curable, 2341
Helix-coil transition, 1285
Herbicides, 415
Heterogeneous catalysis, 613
Heterogeneous polymerization, 281
Hexamethyldisiloxane, 1434
Hexa-[3-*tert*-butyl-4-hydroxy-phenoxyl]cyclotriphosphazene, 242
High density polyethylene, 2140
High density polyethylene (HDPE), 1140
High modulus, 467
High molecular weight, 1003
High molecular weight aliphatic polyester, 340
High pressure, 311
High pressure thermal analysis, 1046
High strain rate, 2031
High strength, 467
High temperature, 1835
High-density polyethylene, 214, 2207
High-impact polystyrene (HIPS), 2347
High-pressure steam, 1058
Hollow fibers, 763
Hot-melt adhesive, 2889
HTPB, 566, 806
Hydantoin-containing, 2460
Hydrated radius, 2768
Hydrogel, 268
Hydrogen bond, 26, 2468
Hydrogen bonding, 252, 798
Hydrogen halides, 1383
Hydroionic convection, 1383
Hydrolysis, 32, 1675
Hydroperoxide decomposition, 407
Hydrophilic, 422
Hydrophilicity, 650
Hydroxyethyl cellulose acetate, 1681
Hydroxyethylmethacrylate, 1220
Hydroxypropyl chitosan, 447
Hyperbranched polyamidoamine, 573
Hyperbranched poly(amine-ester), 51

Impact, 1792
Improved membrane, 2768
In situ doping polymerization, 556
In situ polymerization, 2105
in situ reaction, 2347
In situ, real-time, photon transmission technique, 823
Infrared heating, 2683
Inherent viscosities, 1312
Inherent viscosity, 1335
Initiator, 181
Inorganic fillers, 1891
Inorganic nanoparticles, 1130
Inorganic powder reinforcement, 1514
Interface, 2583
Interfacial adhesion strength, 367
Interfacial tension, 2251
Interfacial-gel polymerization, 686
Intermediate-molecular-ordered region, 1675
Interpenetrating polymer network, 159, 1452, 2437
Interpenetrating polymer networks, 852
Interpenetrating polymer networks (IPN), 963
Interpenetrating polymer networks (IPNs), 1349
Interphase, 546, 1643
Intramolecular interaction, 2483
Intrinsic viscosity, 1619
Intumescent char structure, 1190
Inverse gas chromatography, 529
Ion exchange, 913
Ion transport, 1
Ionic conductivity, 935, 1319, 2176, 2502
Ionomer, 1395
Ions, 47
IPDI, 566
IPN, 639, 1343
iPP, 539
IR spectroscopy, 2511
Isocyanate, 65
Isoniazid, 639
Isophorone diisocyanate–isocyanurate, 2316
Isotactic polypropylene, 130
Isothermal frontal polymerization, 686
Isothermal mesophase transition, 1770

Jojoba wax chemically bound to polyethylene, 763
Jute fiber, 1013

Kaolin, 2154
Kinetic parameters, 188
Kinetic study, 81, 1096
Kinetics, 580, 995, 1220, 1770
Kissinger method, 2535
Konjac glucomannan, 26

Lactic and glycolic acids, 142
Laminate composites, 1664
Laminated safety glass, 521
Lamination, 716
Latent catalyst, 181
Latex, 692
Lauryl methacrylate, 1951, 1963
LDPE, 123, 1526
Leather, 2889
Lifetime distribution, 969
Light scattering, 1737
Light stabilizer, 1943
Lignocellulosic substrates, 2128
Linear PE, 2154
Linear polycarbonate, 1814
Linear viscoelasticity, 593
Lipase, 39
Lipophilic salts, 618
Liquid ammonia, 1058
Liquid crystalline ionomer, 2335
Liquid crystalline polymer, 2328, 2583
"Living" radical polymerization, 2566
LLDPE-*g*-AA, 2538
Load and thickness effect, 1470
Long-chain branching, 2815
Lorentz correction, 358, 2300
Low temperature, 1003
Low temperature solution polymerization, 505

Low-density polyethylene film surface, 1426
Lyotropic liquid crystal, 1770

Macromer, 903
Macromolecule structures, 223
Macromonomer, 2670
Macromonomers, 2191
Magnetism, 707
Maleated polypropylene, 2833
Maleic anhydride, 261, 2018
Maleimide polymer, 1664
Maleimide-functional phenolics, 737
Maleimides, 1870
Malric anhydride compatibilizer, 130
Maltodextrin, 1120
Mass transfer, 841
Mass transfers, 1841
Masterbatch, 2737
Mechanical analysis, 32
Mechanical behavior, 2718
Mechanical interfacial and mechanical properties, 1439
Mechanical properties, 71, 142, 159, 252, 348, 377, 806, 885, 928, 1013, 1213, 1746, 1802, 2511, 2558, 2617, 2759
Mechanical property, 499, 1814, 2609
Melamine, 1776
Melt blends, 626
Melt mixing, 2361
Melt polymerization, 1253
Melt/solution processibility, 1354
Melt spinning, 1575, 1582, 1589
Melt tension, 1814
Melt viscosity, 1814
Melting behavior, 769
Membrane, 1037, 1452, 1650, 1756
Membrane preparation, 311
Membranes, 47, 422, 763
Metal absorption, 297
Metal ions, 2123, 2578
Metal recovery processes, 913
Metal-containing monomer, 2795
Metallocene, 2400
Metallocene catalyst, 81, 1096
Metallocene catalysts, 281, 454, 613
Metal-polymer-metal laminate, 2865
Meta-nitroanline (MNA), 1547
Methacrylate, 815
Methods, 2093
Methyl methacrylate, 2566
Methyl-amine adduct, 286
Methylcellulose, 1825
Methylmethacrylate, 2145, 2774
Micelles, 1976
Michaelis–Menten, 514
Microcapsule, 2662
Microgels, 823
Microphase separation, 1071
Microporous membranes, 214
Microspheres, 1630
Microtomography, 1746
Microwave heating, 2455
Microwave-assisted polycondensation, 2416
Migration, 1566
Miscibility, 26, 769, 1825, 2523, 2558, 2600, 2647, 2746, 2842
Miscible blends, 885
Mixed solvent, 1737
Mixing characteristics, 1931
Mixtures, 197
Model, 1343
Modeling, 1589
Modification, 388
Modified bismaleimide, 2518
Modified copolyesters, 1085
Modified epoxy, 1792
Modified nylon 6,6, 2167
Modified polyethylene blends, 790
Moisture sorption, 1914
Molecular dynamic, 852
Molecular imprinting, 2795
Molecular mass distribution, 499
Molecular sieves, 317
Molecular structure, 1243, 2815
Molecular weight, 252, 975
Molecular weight dependence, 2495
Monodisperse, 1206
Monodisperse particles, 2191
Monodispersed polystyrene latex, 1835
Monomer consumption, 1907
Monte Carlo simulation, 2200, 2545
Montmorillonite, 593
Morphological prediction, 2251
Morphology, 159, 1237, 1535, 1835, 1854, 1988, 2538, 2583, 2647, 2746, 2759
MoS_2, 2394
Mucoadhesive, 274
Multilayers, 2683
Multiple (double) melting behavior, 1267
Multiwave rheological test, 2437
MWD, 2361

N-acryloyl-*N'*-methylpiperazine, 268
Nanocomposite, 1130, 2067, 2162
Nanocomposites, 2218
Nanofiber, 1162
Nanofiltration, 1854, 2729
Nanoparticles, 2218, 2228
Nanoscale indentation tests, 2218
Nanotubes, 1162
1,8-Naphthalimide derivatives, 1863
Natural rubber–carboxylated nitrile rubber blend, 1725
n-butyl methacrylate, 2455
Nematic–isotropic transition, 2535
N-isopropylacrylamide, 384
Nitration, 1037
Nitric oxide, 407
Nitrile rubber, 634
Nitrogen dioxide, 407
Nitrolignin, 1213
Nitrosocompound, 407
Nitroxide radical, 407
Nitroxide-mediated polymerization, 2024
N-methylolacrylamide, 438
NMR, 1687, 1697, 1863
NMR analysis, 422
N,N'-bismeimidediphenylmethane, 2518
N,N-dimethylacetamide, 1737
N,N'-methylene bisacrylamide, 2267
N,N-methylenebisacrylamide, 2635
Noble metal ions, 207
Noncircular fiber, 1575, 1582, 1589
Noncompetitive, 268
Nonionic surfactant, 2859
Nonisothermal crystallization kinetics, 123
Nonradiation electron excitation energy transfer, 398
Novel chelating resin, 913
Novolac-type phenolic resin, 188
N-phenylmaleimide, 2518
N-trimellitylimido-DL/L-alanine, 1312
Nuclear magnetic resonance, 1030
Nucleating agent, 304
Nylon, 484, 2823
Nylon 6, 130, 1046
Nylon 11, 2031
Nylon 6/polyurethane, 2483
Nylon 6-clay hybrid, 1046

Oilless bearing, 1514
Old newsprint, 2018
Olefin polymerization, 454, 613

Oligo(ethylene glycol), 798
Oligomer, 51, 750
ω-Amino alkyl methacrylates, 1401
On-line measurement, 1582
O,O′-diallybis-phenol A, 2518
Optical emission spectroscopy, 2084
Optical limiters, 686
Optical properties, 159
Optical rheometry, 1627
Optically active polymers, 1312
Optically nonlinear polymers, 1374
Optimum wt % of addition, 2768
Organic–inorganic hybrids, 1329
Organic vapor generation, 311
Organoclay, 593
Organosilicone resin, 58
Organosoluble polyimide/clay hybrid, 2067
Orientation, 2376
Oxidation, 1461
Oxidation level of polymer, 2047
Oxygen absorption, 475

PA composite membranes, 2729
PA6, 2361
PA6 yarn, 1914
p-acetoxybenzoic acid, 1085
Palm oil alkyd, 2309
Pamolyn 380, 261
Paper, 334, 2573
Paper sizing, 2185
Parameter estimation, 81, 1096
Particle-board bonding, 2800
Particle-size distribution, 2455
p-Butoxyphenylcyclohexyl, 2113
Peel adhesion, 1920
PEG macromer, 1848
Pendent acetoxy-benzamido groups, 650
PEO/PPO/PEO triblock copolymers, 1274
PEO-PS-PEO triblock copolymer, 1951
Perchlorate binding, 2073
Percolation theory, 1746
Percolation threshold, 692
Perfluouropolyether, 1756
Performance stabilization, 1267
Permeability, 928
Peroxide degradation, 1243
Pervaporation, 311, 422, 763, 1452
Perylene, 2696
PET, 20, 750, 1052
PET/PEN blend, 2422
PETN, 2746
Phase diagram, 1650
Phase inversion, 1854
Phase morphology, 2737
Phase transitions, 377
Phenol-formaldehyde (PF) resins, 898
Phenol-furfural sulfonic acid, 1764
Phenolic resin, 680, 1664
Phosphazenes, 242
Phosphinic acid, 2113
Photo transmission, 1898
Photoacid generator, 328
Photografting polymerization, 1426
Photoluminescent relative quantum yield, 1299
Photophysical properties, 1863
Photopolymerization, 499, 815
Photovoltage, 1446
pH-Sensitive gels, 1416
pH-Sensitive release, 1416
PHT, 454
Physical and potentiometric properties, 618
Physical interpenetrating network, 1274
Physical properties, 10, 26, 2281
Physicochemical, 1383
Plasma, 1120, 1526
Plasma deposition, 2084
Plasma polymerization, 1434
Plasma treatments, 1461
Plastic waste, 2573
Plasticized PVC, 1841
Plasticizer, 65, 1825, 2176
PMIA composite, 2790
PMMA, 1319
Polar forces, 2113
Poly(ϵ-caprolactone), 1681, 2281
Poly(ε-caprolactone), 1558, 2376, 2600
Poly(4,4′-diphenylmethane terephthalamide), 2167
Poly(4,4′-diphenylsulfone terephthalamide), 2167
Polyacrylamide gels, 823
Poly(acrylamide or acrylic acid), 1452
Poly(acrylamide-*co*-maleic acid) hydrogels, 2782
Polyacrylate, 903, 2251
Poly(acrylic acid), 274
Polyacrylonitrile, 1854
Polyamide, 1863, 2729
Polyamide 6, 2273
Polyamide 66, 1021
Polyamide-6, 1535
Poly(amide-imide)s, 1312, 2416
Polyamines, 2185
Polyanhydrides, 32
Polyaniline, 1, 556, 626, 1354
Polyaniline/polyurethane foams, 893
Polyarylate, 2347
Polyarylates, 1374
Poly(arylene ether phosphine oxide), 1198
Poly(bisphenol A carbonate), 1558, 2842
Poly-blend, 2140
Poly(butyl acrylate), 432
Poly(butyl acrylate-*g*-styrene) graft copolymers, 783
Poly(butylene terephthalate), 885, 1046, 1085
Polybutylenesuccinate, 1388
Polycarbonate, 1253, 2113, 2347, 2670
Polycondensation, 340, 2416
Polycondensation resins, 898
Polydimethylsiloxane, 159
Poly(dimethylsiloxane), 975
Polydimethylsiloxane grafted, 1120
Poly(DL-lactide-*co*-glycolide), 2228
Polyelectrolyte, 1619, 1983
Polyelectrolyte complex, 1416
Polyester, 242
Polyester composite, 2018
Polyesters, 514
Polyethene, 281, 613
Poly(ether ether ketone ketone), 769
Poly(ether imide), 769, 885
Polyetheretherketones, 1037
Polyetherimide, 2759
Polyetherols, 1776
Polyethylene, 358, 388, 671, 969, 1514, 2047, 2300, 2573, 2815, 2877
Poly(ethylene glycol), 188, 1976, 2600
Polyethylene oxide, 2162
Poly(ethylene oxide), 2281, 2502
Poly(ethylene oxide)–polystyrene–poly(ethylene oxide) triblock copolymer, 1963
Poly(ethylene terephthalate), 943, 1575, 1582, 1589, 2593, 2676
Poly(ethylene terephthalate) (PET), 2640
Poly(ethylene-*co*-vinyl alcohol), 728
Poly(hydroxy ester ether), 1737
Poly(hydroxyether), 1687, 1697
Polyimide, 593, 1470, 2328
Polyimide rubbing films, 1470
Polyisobutylene, 529
Poly(isobutylene-*co*-4-methylstyrene), 680
Poly(lactide), 1155

Polylactide, 1976
Polylactide (PLA), 367
Poly(lactide-co-glycolide), 1155
Polymer catalyst, 1764
Polymer composite, 692
Polymer composites, 2833
Polymer hydrogel, 2073
Polymer/inorganic nanoparticles composites, 1478
Polymer matrix composites, 737
Polymer membrane, 2705
Polymer morphology, 214
Polymer network, 917
Polymer processing, 2683
Polymer recycling, 1305
Polymeric porogen, 39
Polymeric substrates, 1920
Polymerizable sugar ester, 384
Polymerization, 995
Polymerization filling, 2154
Polymerization modeling, 1253
Polymerization rates, 1907
Polymers, 317
Polymers–bifluorophores, 398
Poly(methyl methacrylate), 2670, 2842
Poly(MMA-*co*-DVB) system, 47
Polynorbornene, 2328
Polyolefin, 1190, 2545
Polyolefins, 1181
Polyorganophosphazene, 1446
Polyorganosiloxane microgels, 281
Poly(organosiloxane) microgels, 613
Poly(*ortho*-ester)s, 1630
Polyoxyethylene, 903
Polyoxymethylene, 304
Poly(*p*-diphenyl oxide terephthalamide), 2167
Poly(phenylene oxide), 2273
Polyphosphazenes, 422
Poly-*p*-phenylenebenzobisoxazole fiber, 1030
Polypropylene, 407, 831, 1243, 2218, 2400, 2573, 2609, 2617, 2718, 2833
Polypropylene films, 2851
Polypropylene grafting with acrylic acid, 2609
Polypropylene (PP), 1140
Polypyrrole, 716, 1368
Poly(Shiff's bases), 398
Polysiloxane, 2251, 2335, 2752
Polysiloxane network, 1329
Polystyrene, 1291, 2191, 2347
Poly(styrene-divinylbenzene, 39
Polysulfides, 2292
Polysulfone, 1658
Poly(tetrafluoroethylene), 716
Polytetrafluoroethylene, 1891
Poly(tetramethylene) glycol, 1237
Poly(tetramethyleneoxide), 1173
Poly(trimethylene 2,6-naphthalenedicarboxylate), 2039
Polyureas, 1335
Polyurethane, 65, 546, 566, 618, 935, 1213, 1802, 2502, 2737
Polyurethane membranes, 2690
Polyurethane/polyurethaneurea, 252
Poly(vinyl acetate), 949
Poly(vinyl alcohol), 142, 467, 949, 1785, 1825, 2558
Polyvinyl butyral, 521
Poly(vinyl chloride), 634, 2523
Poly(vinyl trifluoroacetate), 467
Polyvinylbutyral, 707
Poly(vinylidene fluoride), 1062
Poly(vinylidene fluoride-trifluoroethylene) copolymer, 2259
Poly[1-(trimethylsilyl)-1-propyne], 969
Poly(2-alkyl-2-oxazoline), 2191
Poly(3-hydroxybutyrate), 2237
Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate), 2237
Poly(3-hydroxybutyric acid), 2600
Poly(4-vinylpyridine) methyl iodide, 2578
Poly(4-vinylpyridine-*co*-styrene), 1988
Poly(4-vinylpyridine/*n*-butyl acrylate)/polystyrene, 2002
Porosity, 1756
Porous biodegradable polymers, 2281
Porous membranes, 1274
Positive tone photoresist, 328
Positron annihilation, 969
Postconsumer soft-drink bottles, 943
Postexposure baking, 328
PP/HDPE compatibilization, 1305
PPG, 566
Praseodymium trichloroacetate, 995
Preblending, 2737
Preparation, 1489, 1687, 2341
Pressure, 1021
Pressure drop, 1150
Primary aromatic amines, 388
Processability, 885
Processing, 20, 2207
Propagating fronts, 686
Propellant, 806
Propylene glycol, 1951, 1963
Protein entrapment, 1416
Protein purification, 707
Protein/polyelectrolyte complex, 1416
PSAN, 1319
Pseudoliving mechanism, 2024
PTC effect, 1571
PTFE, 2394
p-Type semiconductor, 1446
PVA, 1003
PVBA, 2746
PVC, 47, 2823
PVC/wood-fiber composites, 1943
PVC-matrix composite, 2105
PVDF, 230
PVDF copolymers, 230
PVT, 230
(Pyrenyl)methyl methacrylate, 1526
Pyridyl and bipyridyl groups, 207
Pyrolysis, 1664
Pyrophosphoric lactone-modified polyesters, 2316

Radiation-induced graft copolymerization, 2851
Radical initiator, 2774
Radius of gyration, 2815
Reactive blend, 1535
Reactive blending, 737
Reactive compatibilization, 2273
Reactive diluents, 2245
Reactive dyes, 2859
Reactive extrusion, 1243
Reactive processing, 790, 2347, 2483
Reactive thermoplastic toughener, 1504
Reactivity ratios, 1220, 1870
Reactor blend, 1880
Recycled poly(ethylene terephthalate) flake, 956
Recycling, 20, 1052, 2207, 2573
Reduced viscosity, 1619
Reduction, 447
Reflection coefficient, 1601
Refractive index, 348
Regenerable, 2460
Regeneration, 2073
Rejection rate, 2768
Relationship, 975
Release profile, 1630
Renewable resources, 1349
Resin transfer molding, 2245
Resins, 898
Restabilization, 2207
Retention time, 1291

Retention volume, 1291
Return loss, 1601
Reverse osmosis, 505
$Rh_6(CO)_{16}$, 447
Rheological analyses, 1162
Rheological behavior, 499
Rheological properties, 1388, 2474
Rheological property, 2538
Rheology, 671, 1243, 1285, 2207, 2640
Rhizopus delemar lipase, 514
Rigid polyurethane foam, 10
RIM, 2483
Ring-banded spherulite, 1681
Ring-opening polymerization, 2446
Rosin, 2185
Rubber, 115, 2341
Rubber composites, 1520
Rubber compound, 1150
Rubber compounds, 2093
Rubber-toughened, 484
Rubbing, 1470
Ru(II) complex, 1329

SALS Hv pattern, 1770
Salt concentration dependence, 2176
Saponification, 467
SBR, 2093
Schulz-Flory statistics, 2039
Seeded emulsion polymerization, 2752
Segmented copolymers, 1173
Selective ion exchange, 763
Selenium, 2053
Self-assembled monolayers (SAMs), 1461
Self-assembly technique, 1983
SEM, 2511, 2690
Semibatch polymerization, 1253
Semichemical recycle, 2662
Semicrystalline polymers, 358, 2300
Separation, 2705
Shear strength, 2889
Shear-induced crystallization, 2640
Shelf life, 181
Shielding effectiveness, 1601
Side-chain aromatic ring, 1374
Silane, 2877
Silica, 2093
Silicon tetrachloride, 1120
Silicone, 2341
Silicone monomer, 58
Silk fabrics, 297
Silk fibroin, 928, 1848
Silk sericin, 274
Simulated food, 1841
Simulation model, 873
SIPNs, 1848
Size-exclusion chromatography, 783, 2815
Sizing treatment, 1439
Sleeves, 317
Small angle X-ray scattering, 1030, 2300
Small-angle X-ray scattering, 358
Smectic, 2335
$SmMe(C_5Me_5)_2(THF)$, 432
Soap-free emulsion polymerization, 1988
Soapless emulsion polymerization, 2455
Sodium carboxymethylcellulose, 26
Sodium polyacrylate, 115
Sol-gel process, 1329
Solid polymer electrolyte, 2502
Solid polymer electrolytes, 2176
Solid-state NMR, 2120
Solubility, 1, 1687, 1697
Solubility parameters, 197
Solution density data, 1155
Solution polymerization, 1335
Solvation units, 2176
Solvent, 529
Solvent effect, 2842
Sorption, 207, 2123
Sorption, permeation, 2058
Sound propagation, 214
Soy flour, 10
Soybean oil, 658
Sparteine, 815
Specific volume, 230
Spherulitic structure, 831
Spiral mold filling, 873
sPP, 539
Stability, 1130, 1478
Stabilizer, 1951, 2113
Starch, 1285
Starlike polymer, 2483
State-of-mix, 2474
Static dissipative, 1162
Steaming, 2018
Steel, 1140
Step-growth polymerization, 1335
Storage stability, 1489
Stringlike phase, 2347
Structural evolution, 1710
Structure, 852, 2538
Styrene, 334, 841, 917, 995, 1931
Styrene–acrylate copolymers, 475
Styrene–acrylonitrile copolymer, 1071
Styrene–butadiene–styrene (SBS) block copolymer, 626
Styrene–maleic acid copolymers, 475
Styrene maleic anhydride, 2593
Styrene–maleic anhydride, 790
Styrene monomer, 1504
Styrene-ethylene/butylene-styrene blends, 2865
Styrene-N,N-dimethylaminopropyl maleamidic acid copolymer, 1619
Sulfonated EPDM, 2140
Sulfonic acid, 2335
Sulfur, 2292
Superabsorbent polymer, 115
Superabsorbents, 2635
Supercooling, 1021
Supercritical, 1155
Supercritical fluids, 197
Support, 281
Supported methylaluminoxane, 454
Supported zirconium catalyst, 81, 1096
Supramolecular network, 2468
Surface analysis, 2790
Surface erosion, 1630
Surface free energy, 1439
Surface grafting of polymer, 573
Surface modification, 1983, 2105
Surface treatment, 367, 1520
Surfactant free, 2228
Swelling, 115, 639, 1343, 1914
Swelling–deswelling behavior, 2782
Swelling kinetics, metal uptake, 268
Syndiotactic polystyrene, 377
Synergistic effect, 1181
Synthesis, 2460
Synthetic route, 1299

Talc, 2105
Tannic acid, 297
Tapping™ and contact modes, 750
Tartaric acid, 604
Taylor vortex flow, 1931
TBA, 1003
Technological compatibility, 1725
Temperature-responsive hydrogel, 798
Template polymerization, 274
Tensile, 2545
Tensile properties, 1395, 2474
Tensile property, 2746
Tensile strength, 1520
Terpolymer, 1880, 2823
Tetraethylthiuram disulfide, 2292
Tetra-hydropyrimidinone, 2416

Tetrahydro-2-thioxopyrimidine, 2416
TGA, 1181
Thermal analysis, 2889
Thermal characterization, 65
Thermal conductivity, 1190
Thermal deactivation, 39
Thermal degradation, 2053, 2237
Thermal iniferter, 2566
Thermal microscopy, 1643
Thermal stability, 783, 1213
Thermal studies, 1870
Thermally stable polymers, 1312
Thermally stable polyurethanes, 1776
Thermodynamic interactions, 1291
Thermodynamic miscibility, 852
Thermogravimetry, 776, 2237
Thermo-mechanical degradation, 1710
Thermoplastic blends, 1354
Thermo-plastic polyurethanes, 1710
Thermosensitive polymer, 384
Thermoset, 873
Thermosets, 658, 1643
Thermostability, 650
Thin polymer films, 1470
Titanate coating, 1514
TMA, 2361
Toluene diisocyanate, 604
Topological structure, 2361
Toughness, 2523, 2759
Transesterification, 1558, 2347, 2422, 2583
Transesterification kinetics, 2039
Transmittance, 348
Transparent polymeric materials, 348
Transport, 47, 2705
Transport properties, 539
Trapping concept, 2383
TREF, 1880
Tribological behavior, 1891, 2790
Tribological properties, 2394
Triol, 806
Triphenyl bismuthoniumylide, 2774
Tung oil, 2369

UF resin chemistry, 2800
Ultrafiltration membranes, 2578
Ultrafine silica, 573
Ultrasonic induced encapsulating emulsion polymerization, 1130
Ultrasonic irradiation, 1478
Ultrathin film, 2259
Ultraviolet degradation, 1943
Unusual rheological behavior, 2154
Urea-formaldehyde resins, 2800
Urethane-methacrylate macromer, 348
Urokinase, 2851
UV curing, 51
UV irradiation, 1426
UV-vis absorption spectra, 1299

VAc, 1003
Vacuum de-airing process, 521
Vamac, 2737
Vanadium oxide, 2162
Vapor-liquid equilibrium, 1253
Vickers hardness, 2670
Vinyl acetate, 1426
Vinyl adipoyl sugar, 384
Vinyl ester, 917
2-Vinyl pyridine, 2145
2-Vinylpyridine polymers, 2024
Viscoelastic behavior of gel, 2437
Viscoelastic properties, 230
Viscoelasticity, 2383
Viscoplasticity, 2383
Viscosity, 975
Viscosity detector, 2815
Viscosity function, 873
Vulcanization mechanism, 2292

Wagner–Jauregg reaction, 737
Waste paper fiber, 2662
Wastewater, 2073
Water absorbency, 2635
Water and gas transport, 2058
Water borne, 604
Water retention, fibers, 989
Water soluble, 142
Water sorption, 71
Water uptake, 115
Waterborne paint, 286
Water-borne polycondensation resins, 2128
Water-retention properties, 2558
Water-soluble hydroxypropyl chitin, 2624
Water-swelling ratio, 1785
Water-swollen hydrogel membrane, 1785
Wear test, 1520
Wet-strength agent, 334
Wettability, 2647
WGSR, 447
Wood adhesive, 2800
Wood adhesives, 898
Wood fiber, 546
Wool, 2859
Wool fiber surfaces, 1461
Wools, 1058
Woven glass mat, 1395

XPS, 716, 2120, 2185
X-ray diffraction, 214, 2511
X-ray diffraction analysis, 979, 989
X-ray photoelectron spectroscopy, 556, 1461

Zeigler and Natta, 995
Zero-shear viscosity, 1609
Zeta potential, 1988
Ziegler–Natta, 2400
Zinc oxide, 2292
ZnO whisker, 1520